

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator C.S.E Little Hands-Little Feet C.E.C Inc.	Licence Number 2017528	Inspection Date September 12, 2023
Facility Name C.S.E Little Hands-Little Feet C.E.C Inc. 2		Telephone Number (506) 479-1722
Address 3034 route 108 New Denmark NB E7G 2T2		
Name of Early Learning and Childcare Licensing Staff Pascale Dumont-Levesque		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child. Comments: Deficiency is now compliant	21	Aug 11, 2023	Sep 12, 2023
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records. Comments: The fire extinguisher expired in August 2023 and needs to be re-inspected.	24(1)(j)	Sep 15, 2023	
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: Joint visit with public health inspector, further report to be submitted.	28(3)(a)	Sep 12, 2023	
29 An operator of a licensed facility shall ensure that the traffic area and the outdoor walk-ways of the licensed facility are free from obstructions and hazards. Comments: Deficiency is now compliant	29	Sep 11, 2023	Sep 12, 2023
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children. Comments: The upstairs room, which has been approved for 5 spaces, must be kept clean. For the time being, children cannot use this room because the emergency door give access to the private pool who no longer has a fence.	30(3)	Sep 11, 2023	
31(4) An operator shall ensure that the outdoor play area of a licensed facility (b) consists of more than one surface to permit different types of play. Comments: Deficiency is now compliant	31(4)(b)	Jul 21, 2023	Sep 12, 2023
31(6) The outdoor play area of a full-time or part-time early learning and childcare centre at which services are provided to infants or preschool children shall be enclosed with a fence at least 1.22 m in height with a gate that is secured at all times when the children are present. Comments: The doors have been repaired, but a child still can pass between the house and the gated fence.	31(6)	Sep 05, 2023	

Order for Compliance	Regulation	Date to be corrected	Date corrected
34(2) Access to a private pool with a filtration and chlorination system by a child receiving services at a licensed facility is permitted in the following circumstances: (b) the pool is enclosed with a fence at least 1.52 m in height in addition to the fence enclosing the outdoor play area.	34(2)(b)	Sep 15, 2023	
Comments: The pool isn't used by daycare children. However, the upstairs room has access via the emergency door. The upstairs room cannot be used with children until a fence surrounds the private pool.			
36(7) A nap mat shall be at least 5 cm in thickness and stored in a way that avoids contact with the surface of another nap mat or disinfected on both sides after each use.	36(7)	Sep 22, 2023	
Comments: The nap mat is still stained despite cleaning, new nap mat will be bought.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Sep 07, 2023	
Comments: Medications and toxic products are locked by either a CSA-approved child safety lock product or by lock and key.			
41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (a) equipped with rails or safety straps.	41(1)(a)	Sep 12, 2023	
Comments: The changing mat needs to be change, as it no longer has straps and is starting to tear.			

**General Comments**

Afternoon joint visit with the inspector, the daycare meets the requirements of the Early Childhood Services Act and New Brunswick regulation according to the ratio.

original signed by

**Pascale Dumont-Levesque**

Signature of Early Learning and Childcare Licensing Staff

**September 13, 2023**

Date

original signed by

**Dominique Richard**

Signature of Operator/Designate

**September 13, 2023**

Date