

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of opera	ame of operator Licence		Number			Inspection Date	
·		P-2017528				November 10, 2023	
Facility Name						Telephone Number	
C.S.E Little Hands-Little Feet C.E.C Inc. 2			((506) 479-1722	
Address							
3034 route 10	8 New Denmark NB E7G 2T2						
Name of Early Learning and Childcare Licensing Staff			Position Title				
Annik Thériault			Inspector				
Order for Compliance					Date to be corrected		Date corrected
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.		у	28(2)		Nov 03, 2023		Nov 10, 2023
Comments:	Done on November 6. 2023						
	30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.		30(3) S		Sep 11, 2023		
Comments: The gate to go upstairs need to be fixed because it was not locked, and it needs to be secure all the time for no children to go in the stairs without supervision. The upstairs area still cannot be used until the fence around the pool is fixed.							
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.		nsed	31(3) Oct 0		6, 2023	Nov 10, 2023	
Comments:	Deficiency is now compliant. Cover was install	led on the s	andb	oox.			
31(6) The outdoor play area of a full-time or part-time early learning and childcare centre at which services are provided to infants or preschool children shall be enclosed with a fence at least 1.22 m in height with a gate that is secured at all times when the children are present.		eschool	31(6) Sep 0		05, 2023		
Comments: The lock on the first gate is not installed according to the manufacturer's instructions, the lock should close as intended. The 2nd gate has been temporarily closed by a strap.							
34(2) Access to a private pool with a filtration and chlorination system by a child receiving services at a licensed facility is permitted in the followir circumstances: (b) the pool is enclosed with a fence at least 1.52 m in height in addition to the fence enclosing the outdoor play area.		e following 52 m in	34(2			15, 2023	
Comments:							
	tor of a licensed facility shall not permit pacifiers used with a neck string.		40(2	•		09, 2023	Nov 09, 2023
Comments:	Any use of pacifiers or teats that are tied by a notifying the educator.	rope aroun	d the	child's n	eck is	prohibited. It	was put away after

Order for Compliance	3		Date corrected
		corrected	
6(2) For the purposes of subsection 11(2) of the Act, an application for the renewal of a licence shall be accompanied by the following documents: (b) if the facility is a full-time or part-time early learning and childcare centre, (iii) the operational plan referred to in paragraph 4(1)(d), if changes have been made to the plan.		Nov 10, 2023	Nov 10, 2023
Comments:			

General Comments

During my visit in the afternoon, the daycare meets the requirements of the Early Childhood Services Act and New Brunswick regulation according to the ratio. I have observed children playing and eating their snack. I talk with the owner to send parent handbook and insurance of the daycare.

original signed by Annik Thériault	November 10, 2023			
Signature of Early Learning and Childcare Licensing Staff	Date			
Signature of Operator/Designate	Date			