

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator C.S.E Little Hands-Little Feet C.E.C Inc.	Licence Number 2017528	Inspection Date December 09, 2024	
Facility Name C.S.E Little Hands-Little Feet C.E.C Inc. 2		Telephone Number (506) 479-1722	
Address 3034 route 108 New Denmark NB E7G 2T2			
Name of Early Learning and Childcare Licensing Staff Geneviève Abud		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
22 The daily routine of a licensed facility shall include (a) outdoor play for at least one hour in each four-hour block of time when the majority of children receiving services are in attendance except in the following circumstances: (i) the wind chill is below -20 °C; (ii) the temperature is below -20 °C; or (iii) the temperature is 33 °C with humidity or above.	22(a)	Nov 22, 2024	Dec 09, 2024
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number,	24(1)(b)(i)	Nov 19, 2024	Nov 19, 2024
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records.	24(1)(j)	Dec 06, 2024	Dec 09, 2024
Comments: the following records and documents are maintained on the premises: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records. The form is on site, but don't forget that the fire extinguisher must be checked by the end of the year.			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (h) if a child has or may be affected by a disease that is required to be reported under the Public Health Act and the regulations under that Act by the operator of the licensed facility, the disease that has been reported.	25(h)	Nov 19, 2024	Nov 19, 2024
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Nov 19, 2024	Dec 09, 2024
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications.	39(2)(b)	Nov 19, 2024	Nov 19, 2024
Comments: Deficiency is now compliant			

General Comments

Follow-up inspection carried out on December 9.
The daycare respects the ratio at the time of my visit. After-school arrives later, around 3:30 p.m.
Children go outside around 2:45 p.m. and play freely.
The daycare meets the requirements of the Early Childhood Services Act at the time of my visit.
Licence renewal is recommended.

original signed by
Geneviève Abud

Signature of Early Learning and Childcare Licensing Staff

December 09, 2024

Date

original signed by
Melinda Steeves

Signature of Operator/Designate

December 09, 2024

Date