



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 686593 NB LTD.	Licence Number 2017641	Inspection Date November 10, 2022
Facility Name Reaching for Rainbows After School Program		Telephone Number (506) 389-1442
Address 600 Coverdale Road Riverview NB E1B 3K6		
Name of Early Learning and Childcare Licensing Staff Erika Hickey		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (a) the daily routine.	25(a)	Aug 24, 2022	Sep 14, 2022
Comments: A proof of compliance was sent to the Quality Assurance Monitor. The Quality Assurance Monitor was also able to observe this during the on-site inspection. Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (e) the name and telephone number of the inspector.	25(e)	Aug 24, 2022	Sep 14, 2022
Comments: A proof of compliance was sent to the Quality Assurance Monitor. The Quality Assurance Monitor was also able to observe this during the on-site inspection. Deficiency is now compliant			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	Sep 01, 2022	Nov 10, 2022
Comments: A monthly emergency evacuation and fire drill was performed during the inspection. The educators explained the procedure to the children to prepare them for the surprise drill. An educator noticed that a child was crying because they were scared that a bell would ring. The educator had a discussion with the child and reassured them. Before starting the drill and ringing an alarm, the educator went back to the child to give them a heads up that the bell would ring and to remind the child of what they are asked to do. The educator also completed the verifications of the emergency equipment and documented the evacuation drill information. Deficiency is now compliant			

General Comments

The Quality Assurance Monitor is on site for a follow-up inspection. During the inspection the Quality Assurance Monitor was able to observe the children during their snack time and their indoor free play.

The ratio was respected at all times and the educators were keeping their attendance record up to date as children were arriving and departing.

original signed by
Erika Hickey

Signature of Early Learning and Childcare Licensing Staff

November 10, 2022

Date

Signature of Operator/Designate

Date