

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator JMJA Walsh Childcare Ltd.	Licence Number 2017661	Inspection Date August 26, 2022
Facility Name Wee College Youth Connection Too		Telephone Number (506) 863-1800
Address 153 Canusa Drive Riverview NB E1B 2W6		
Name of Early Learning and Childcare Licensing Staff Jessica Belliveau-Doiron		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Sep 26, 2022	
Comments: An educator does not have a valid first aid certificate and a valid CPR certificate. The administrator confirmed that the educator is not left alone with children until she completes the course or obtains a valid certificate.			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (d) the name of the administrator.	25(d)	Aug 26, 2022	Aug 26, 2022
Comments: The administrator's name is not posted in the facility. A licensed facility shall post in a clearly visible and prominent place on the premises the name of the administrator. This was corrected while on-site. Deficiency is now compliant.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Aug 26, 2022	Aug 26, 2022
Comments: The purple picnic table in the outdoor play area is broken with nails sticking out. Pieces of wood from the picnic table were found in the wooden area. Wood was picked up and thrown away as well as the picnic table. Inspector asked the administrator to remind staff to search for safety hazards in the play area before playing outside. Deficiency is now compliant.			

<p>General Comments</p> <p>During renewal inspection, inspector observed children during free play. Children left for an outing at the park for a part of the morning. In the afternoon, children were doing their hair and nails.</p> <p>Ratio was respected during the visit.</p>
--

original signed by
Jessica Belliveau-Doiron

Signature of Early Learning and Childcare Licensing Staff

August 26, 2022

Date

original signed by
Sherri Bastarache

Signature of Operator/Designate

August 26, 2022

Date