

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Cassel Enterprises Ltd.	Licence Number 2017681	Inspection Date January 28, 2020	
Facility Name HANDS ON LEARNING ENRICHMENT CENTRE		Telephone Number (506) 878-4263	
Address 2282 Mountain Road Moncton NB E1G 1B4			
Name of Early Learning and Childcare Licensing Staff Janice Gauvin-Léger		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
10(1) The number of educators that are required for a group of children of mixed ages receiving services at a full-time or part-time early learning and childcare centre is calculated as follows: (a) by multiplying the number of children of the same age by the corresponding factor set out in Schedule A; and (b) by adding the results obtained under paragraph (a).	10(1)	Jan 28, 2020	Jan 28, 2020
Comments: When the Inspector arrived on site the ratio for the children in a mixed age group was not respected. The second educator arrived with 5 minutes. The ratios were respected during the remainder of the renewal inspection. Deficiency is now compliant			
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	33(1)	Jan 31, 2020	
Comments: Regulation 33 (1) An operator of a licensed facility shall provide outdoor play area materials and equipments that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility. During time of inspection children were observed playing outside. The outdoor play surface is frozen so the children can't use the outdoor play equipment. The toys and materials were put away for the winter. Inspector advised that a sufficient quantity of toys and materials for the outdoor play area need to be accessible year-round. Inspector recommend they add a variety of toys and materials for the winter months.			
43 An operator of a licensed facility shall not permit hot beverages in areas that are occupied by the children receiving services at the licensed facility, including the outdoor play area.	43	Jan 28, 2020	Jan 28, 2020
Comments: Regulation 43- An operator of a licensed facility shall not permit hot beverages in areas that are occupied by the children receiving services at the licensed facility, including the outdoor play area. At time of renewal inspection two educators had hot beverages in the classroom. The hot beverages were stored in the locked kitchen during inspection. Inspector discussed the importance of this regulation with staff. Deficiency is now compliant			

Order for Compliance	Regulation	Date to be corrected	Date corrected
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (c) on each outing.	44(c)	Jan 31, 2020	
Comments: Regulation 44- An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order c) on each outing Centre does not have an identified and complete first aid kit for outings.			
51(3) The operator of a licensed facility shall (c) forward the original to the Minister within 24 hours of the incident.	51(3)(c)	Jan 30, 2020	
Comments: Regulation 51(3) The operator of a licensed facility shall (c) Forward the original to the Minister within 24 hours of the incident. While auditing children's files the inspector found an incident report from November that had not been reported to the Department. As stated in the Act the facility must forward the report within 24 hours. The inspector advised the Head Director that the report must be sent to the Quality Assurance Monitor. Deficiency is now compliant			

General Comments
<p>Vehicle was not verified during renewal inspection as it wasn't on site.</p> <p>Head Teacher advised inspector of her departure and who will be assigned as the new head teacher. For the time being two educators currently on site will share the responsibilities and duties.</p> <p>The outdoor play area surface was not verified due to the snow. This regulation will be verified in the spring.</p> <p>Purposely planned activities, documentation and evidence of children's learning were evident in the centre.</p>

original signed by  
Janice Gauvin-Léger  
Signature of Early Learning and Childcare Licensing Staff

January 28, 2020  
Date

original signed by  
Amy Daigle  
Signature of Operator/Designate

January 28, 2020  
Date