

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Cassel Enterprises Ltd.	Licence Number 2017681	Inspection Date January 31, 2020
Facility Name HANDS ON LEARNING ENRICHMENT CENTRE		Telephone Number (506) 878-4263
Address 2282 Mountain Road Moncton NB E1G 1B4		
Name of Early Learning and Childcare Licensing Staff Janice Gauvin-Léger		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	33(1)	Jan 31, 2020	Jan 31, 2020
Comments: A variety of toys have been placed at the entrance to the outdoor play area for the children to use outdoors. Deficiency is now compliant			
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (c) on each outing.	44(c)	Jan 31, 2020	Jan 31, 2020
Comments: A first aid kit has been put together and identified. One gauze pad and the alcohol pads are missing to complet the kit. A message has been sent to the owner for the items to be purchased. Deficiency is now compliant			
51(3) The operator of a licensed facility shall (c) forward the original to the Minister within 24 hours of the incident.	51(3)(c)	Jan 30, 2020	Jan 31, 2020
Comments:			

<p>General Comments</p> <p>Regulation 51(3)(c) The operator of a licensed facility shall: Forward the original incident report to the Minister within 24hours of the incident. The deficiency is now compliant. The quality assurance monitor will follow up on this behalf.</p> <p>Ratios were respected during time of inspection. Children were observed playing outside during follow up inspection. They were all very excited to play with the toys and materials added.</p> <p>Waiting on Fire and Health inspection to recommend. The centre will be in continuation until recommended by Health and Fire.</p>

original signed by
Janice Gauvin-Léger

January 31, 2020

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Amy Daigle

January 31, 2020

Signature of Operator/Designate

Date