

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence	ence Number I		Inspection Date			
Cassel Enterprises Ltd. 2017681					February 17, 2022		
Facility Name					Telephon	e Number	
Hands On Learning Enrichment Centre					(506) 878-4263		
Address							
2282 Mountain Road Moncton NB E1G 1B4							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Mireille Comeau			Inspector				
Order for Compliance		Regu	Regulation Date corre			Date corrected	
20 For the purposes of section 17 of the Act, the requirements with respect to the transportation of children are as follows: (c) the driver of a motor vehicle and the motor vehicle must be in compliance with the Moto Vehicle Act and the regulations under that Act. Comments: Deficiency is now compliant		20(c)			4, 2021	Feb 17, 2022	
22 The daily routine of a licensed facility shall include (a) outdoor play for at least one hour in each four-hour block of time when the majority of children receiving services are in attendance except in the following circumstances: (i) the wind chill is below -20 °C; (ii) the temperature is below -20 °C; or (iii) the temperature is 33 °C with humidity or above.		22(a) D		Dec 14, 2021		Feb 17, 2022	
Comments: Deficiency is now compliant. Educ playground for 2 weeks because in observe that the playground was outside playground have to be ac-	t was not shovel. While now accessible. Inspec	doing	the insp	pection	, the inspec	ctor was able to	
28(3) The premises of a licensed facility shall comventilation and other general health standards under Act.	ply with (a) lighting,	28(3)	(a)	Dec 1	4, 2021	Feb 17, 2022	
Comments: Deficiency is now compliant. The ceilings as been cleaned.	exit door in the gym cla	iss as	been fix	. The a	ir exchange	er duct in the	
30(3) An operator shall maintain the indoor play are to ensure the safety of the children.	ea of a licensed facility	30(3)		Dec 3	0, 2021	Feb 17, 2022	
Comments: Deficiency is now compliant				T_		T	
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.		31(3)		Dec 3	30, 2021	Feb 17, 2022	
Comments: Deficiency is now compliant							
33(1) An operator of a licensed facility shall provide materials and equipment that are varied and in suff number and ages of the children receiving services facility.	icient quantity for the	33(1)	1	Dec 3	30, 2021	Feb 17, 2022	
Comments: Deficiency is now compliant							

Order for Compliance	Regulation	Date to be corrected	Date corrected
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Dec 30, 2021	Feb 17, 2022
Comments: Deficiency is now compliant			
41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (b) covered with a non-absorbent layer.	41(1)(b)	Dec 14, 2021	Feb 17, 2022
Comments: Deficiency is now compliant.			
48(2) An operator of a licensed facility may supply food to a child receiving services at the licensed facility that a parent or guardian of the child brings from the child's home if the food is labelled with the child's name and refrigerated, as required.	48(2)	Dec 14, 2021	Feb 17, 2022
Comments: Deficiency is now compliant. Inspector verified 4 lunchbo	oxes and they	are labbel	

General Comments

Inspector observed the group of 3 year old and 4 year old while they came inside after they played in the playground outside.

At lunch time, the children was served veggies with fish sticks like in was indicated in the menu for that day.

original signed by		
Mireille Comeau	February 22, 2022	
Signature of Early Learning and Childcare Licensing Staff	Date	
original signed by		
Lisa Greene	February 22, 2022	
Signature of Operator/Designate	Date	