

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator WOODSTOCK CHRISTIAN ACADEMY	Licence Number 2017792	Inspection Date August 14, 2019
Facility Name Woodstock Christian Academy		Telephone Number (506) 328-8619
Address 192 Broadway St Woodstock NB E7M 6B3		
Name of Early Learning and Childcare Licensing Staff Nancy Glendenning		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Oct 01, 2019	
<p>Comments: There are clearance issues around the structures in school age outdoor play area. The yellow and blue slide structure is too close to a tree. The middle wooden swing structure is too close to a tree and the middle structure hanging bars are too close to the cement walk way. The administrator has stopped the children from using the big metal slide due to the fact that there is not enough clearance around the slide. Recommendations to not use equipment or certain aspects of equipment were given at time of inspection. The cement that anchors the structures needs to be covered as it is exposed. There is not enough pea gravel surrounding the structures and therefore it recommended that they not be used. All swings were put up out of children's reach at time of visit. Materials were brought out to school age play space at time of visit.</p> <p>In the preschool outdoor play area please ensure equipment such as the plane teeter totter has appropriate amount of clearance and surfacing around it. It is recommended that the slide on the castle be moved to the middle of structure as there is currently not enough clearance from the fence. You can refer to the CSA guidelines or manufacturers instructions for details on how to make purchased equipment safe.</p>			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Oct 01, 2019	
Comments: Stationary equipment requires the appropriate amount of surfacing underneath and around it.			

<p><b>General Comments</b></p> <p>All toxic products are now under lock and key.</p> <p>It is recommended that stationary equipment is removed and natural learning centres are put in the school age outdoor play space in its place. Please meet all regulations by October 1, 2019. Children cannot use stationary equipment as recommended until all regulations are met or they are removed.</p>
---

original signed by  
Nancy Glendenning

August 14, 2019

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by  
Ashleigh Kenneson

August 14, 2019

---

Signature of Operator/Designate

---

Date