

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Jill Walker	Licence Number 2018194	Inspection Date September 16, 2022
Facility Name Bluebell Montessori		Telephone Number (506) 454-5558
Address 177 Argyle St Fredericton NB E3B 1T6		
Name of Early Learning and Childcare Licensing Staff Sabrina Diotte		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
11(c)(ii) The qualifications and training requirements for administrators and educators are as follows: (c) at a full-time or part-time early learning and childcare centre, (ii) on and after July 1, 2020, (A) at least 50% of educators must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister, and (B) an administrator must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister.	11(c)(ii)	Aug 31, 2022	
Comments: An exemption request must be sent to the Department for approval to be exempt from this regulation temporarily.			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (c) instructions regarding evacuation in case of a fire as approved by the fire marshal, deputy fire marshal or fire prevention officer.	25(c)	Aug 31, 2022	Sep 13, 2022
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (d) the name of the administrator.	25(d)	Aug 31, 2022	Sep 13, 2022
Comments: Deficiency is now compliant			
31(4) An operator shall ensure that the outdoor play area of a licensed facility (b) consists of more than one surface to permit different types of play.	31(4)(b)	Aug 31, 2022	Sep 13, 2022
Comments: Deficiency is now compliant			
38(1) The children receiving services at a licensed facility shall have access to washrooms that include the following: (a) if one to nine preschool children or school-age children are receiving the services, one toilet and one sink; (b) if ten to 24 preschool children or school-age children are receiving the services, two toilets and two sinks; (c) if 25 to 49 preschool children or school-age children are receiving the services, three toilets and three sinks; and (d) if 50 or more preschool children or school-age children are receiving the services, four toilets and four sinks.	38(1)	Sep 23, 2022	
Comments: During my follow up visit today, I noticed that the bathroom had been renovated and there is one less toilet. As per regulation you must have three toilets and three sinks. Please advise once the third toilet is installed.			

General Comments

original signed by
Sabrina Diotte

Signature of Early Learning and Childcare Licensing Staff

September 16, 2022

Date

original signed by
signed report not returned

Signature of Operator/Designate

September 16, 2022

Date