

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator GRAND BAY BLOSSOMS INC.	Licence Number 2018312	Inspection Date August 30, 2022	
Facility Name GRAND BAY BLOSSOMS		Telephone Number (506) 738-3217	
Address 749 River Valley Drive Grand Bay-Westfield NB E5K 1B6			
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
22 The daily routine of a licensed facility shall include (a) outdoor play for at least one hour in each four-hour block of time when the majority of children receiving services are in attendance except in the following circumstances: (i) the wind chill is below -20 °C; (ii) the temperature is below -20 °C; or (iii) the temperature is 33 °C with humidity or above.	22(a)	Jul 12, 2022	Aug 29, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number,	24(1)(b)(i)	Aug 12, 2022	Aug 29, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (v) the child's health history and a copy of the record of immunizations or a copy of an exemption.	24(1)(b)(v)	Aug 12, 2022	Aug 29, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Jul 12, 2022	Aug 29, 2022
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Aug 12, 2022	Aug 29, 2022
Comments: Deficiency is now compliant			
47(1) An operator of a licensed facility shall refuse admission to a child if satisfactory proof of the immunizations required by the Public Health Act or the regulations under that Act is not provided.	47(1)	Aug 12, 2022	Aug 29, 2022
Comments: Deficiency is now compliant			

General Comments

A follow-up to the renewal inspection was conducted today. All orders for compliance were completed and the facility is recommended for license renewal.
The children were observed during afternoon snack, inside and outside play. The 4's and School-age group were on a field trip at time of inspection.

original signed by
Jodi Hennessey

Signature of Early Learning and Childcare Licensing Staff

August 30, 2022

Date

original signed by
Samantha Brown

Signature of Operator/Designate

August 30, 2022

Date