

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of oper	Name of operator Licer		ice Number			Inspection Date	
Little Land Le	Little Land Learning Centre Inc. 20183		42			August 18, 2025	
Facility Name						Telephone Number	
Little Land Learning Centre						(506) 458-5552	
Address							
435 Brooksid	e Drive Fredericton NB E3A 8V4						
Name of Early Learning and Childcare Licensing Staff				Position Title			
Tanya Gaudet				Inspector			
Order for Compliance			Regulation		Date to be corrected		Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (v) a copy of a criminal record check or vulnerable sector check, as the case may be. Comments: Deficiency is now compliant		a y of a	24(1)(c)(v)		Jul 1	1, 2025	Aug 18, 2025
31(5.1) The outdoor play area of a full-time or part-time early learning and childcare centre shall include a shaded area of at least 0.45 m2 for each child that can be accommodated in the outdoor play area as provided under subparagraph 4(1)(g)(ii)		31(5.1) Jul		Jul 1	1, 2025		
Comments: During the follow-up license renewal inspection, licensing staff noted that the infant outdoor play environment does not have any shade for the children to get a reprieve from the sun while playing outside. Please ensure there is sufficient shade for the infants while playing in the outdoor play environment to maintain the infant's safety. The original compliance date to install shade for the infant outdoor play environment was July 11th, 2025.							
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.		area	32(1)(d) Jul 1		8, 2025	Aug 18, 2025	
Comments:	Deficiency is now compliant						·

General Comments

Licensing staff arrived to conduct the follow-up license renewal inspection while children were putting on their outdoor clothing to go outside to play in the outdoor play environment.

Licensing staff noted that the books in each classroom are in good repair.

Licensing staff also noted that the educator who needed a Crininal Record/Vulnerable Sector Check now has a current Criminal Record/Vulnerable Sector Check.

While inspecting the outdoor play environment, licensing staff noted that shade was not installed in the infant outdoor play environment as per recommendation from licensing staff during the License Renewal Inspection that was conducted on July 11th, 2025. In order to maintain the safety of the children while playing outside, there needs to be sufficient shade for the number of infants enrolled at the licensed facility.

August 18, 2025
August 18, 2025