

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator FRANCESCA PHILLIPS	Licence Number 2018413	Inspection Date November 01, 2022	
Facility Name Jumpin Jax Daycare		Telephone Number (506) 204-2032	
Address 160 Shannon Drive Moncton NB E1G 2G6			
Name of Early Learning and Childcare Licensing Staff Erika Hickey		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Nov 01, 2022	Nov 01, 2022
Comments: When the school age children arrived from school, the educator/operator was able to confirm that they had brought their first aid kit and attendance records to pick up the children. When the group went to play outside however, the educator/operator had forgotten to bring out their attendance records with them. Attendance records must be taken out of the facility whenever children leave the building. The educator/operator immediately went to pick up their attendance records and had it with them during the remainder of the inspection. Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Nov 01, 2022	Nov 01, 2022
Comments: Dog dropping were observed in the outdoor play area while the children were playing. The educator/operator stated that they had cleaned the area earlier and must have missed one. The educator/operator immediately removed the droppings from the area. Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Nov 01, 2022	Nov 01, 2022
Comments: Dog dropping were observed in the outdoor play area while the children were playing. The educator/operator stated that they had cleaned the area earlier and must have missed one. The educator/operator immediately removed the droppings from the area. Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Nov 01, 2022	Nov 01, 2022
Comments: The Quality Assurance Monitor observed that the locked closet containing the toxic products and cleaning products was left unlocked. The educator/operator immediately locked the closet upon being made aware of the situation. The cabinets on top of the washer and dryer in the bathroom were also equipped with a latch mechanism to keep the cabinets closed. These types of mechanisms do not comply with this element as the cabinets can be made accessible and the cabinets can easily be opened. The Quality Assurance Monitor observed that these cabinets contained laundry detergents and similar cleaning supplies. All toxic products and cleaning materials must be locked and inaccessible to the children. These products will either need to be placed with the other locked products or the lock with need to be replaced in order to ensure that these products are not accessible to the children. The educator/operator has placed the products in the locked closet. Deficiency is now compliant			

General Comments

The Quality Assurance Monitor is on site for a monitoring inspection. During the inspection the Quality Assurance Monitor was able to observe the children during their indoor and outdoor free play and during their snack time. The ratio was respected at all times during the inspection and adequate supervision were maintained at all times during the inspection as the indoor and outdoor play area layouts are constructed in a manner that children are in view at all times.

All required posted documents were visible and easily accessible. The Quality Assurance Monitor had a discussion with the operator regarding the evacuation procedures posted and recommends that a copy of the evacuation procedures be placed near the exit or in an area that the children and visitors can easily see it. During the outdoor free play, the educator/operator removed obstacles that were in front of the slide when a child went to use the equipment. The educator showed an awareness of risks and safe play. The Quality Assurance Monitor also noticed that the Inspector/Investigator contact information is outdated as the assigned Inspector/Investigator has changed recently. The Quality Assurance Monitor had a discussion with the educator/operator regarding this element and the educator/operator will be updating this information.

The Quality Assurance Monitor was able to confirm that the outdoor play area has various types of surfaces that are accessible to all children. The large tree provides a shaded area for the children and the operator has validated that during the warmer month, that a tarped gazebo provides additional shade. During the inspection, the outdoor play material and equipment were varied and in sufficient quantity for all children present. All stationary equipment was surrounded by protective surfacing and the operator was able to confirm that they comply with any recalls.

original signed by
Erika Hickey

Signature of Early Learning and Childcare Licensing Staff

November 01, 2022

Date

Signature of Operator/Designate

Date