

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator GRAND BAY BAPTIST CHURCH INC	Licence Number 2019496	Inspection Date August 16, 2023
Facility Name Treasured Beginnings		Telephone Number (506) 738-2766
Address 77 Woolastook Drive Grand Bay-Westfield NB E5K 1S3		
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
12(0.1)(b)(i-iii) In subsection (1), an operator of a licensed facility includes: (b) in the case of a check with the Department of Social Development, (i) in the case of a corporation or unincorporated association, the directors who have contact with children receiving services in the facility or who manage the finances of the facility, (ii) in the case of a partnership, the partners who have contact with children receiving services in the facility or who manage the finances of the facility, and (iii) in the case of a limited partnership, the general partners who have contact with children receiving services in the facility or who manage the finances of the facility.	12(0.1)(b)(i-iii)	Aug 25, 2023	
Comments: Finance person requires a check with the Department of Social Development. Original comply by date of July 6, 2023. This is to be submitted to Inspector via email when received.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Jun 22, 2023	Aug 16, 2023
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Jun 26, 2023	Aug 16, 2023
Comments: Deficiency is now compliant			
31(4) An operator shall ensure that the outdoor play area of a licensed facility (a) includes a shaded area that is at least 10% of the outdoor play area.	31(4)(a)	Jul 21, 2023	Aug 16, 2023
Comments: Deficiency is now compliant			

General Comments A follow up to the renewal inspection occurred today. There is one outstanding order for compliance. Discussed with Administrator during inspection visit. The children were observed enjoying snack with the educators. A new climbing tunnel has been installed in the

General Comments

infant outside play.

original signed by
Jodi Hennessey

Signature of Early Learning and Childcare Licensing Staff

August 16, 2023

Date

original signed by
Alesha Cleghorn

Signature of Operator/Designate

August 16, 2023

Date