

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 2019532	Inspection Date August 16, 2021
Facility Name YMCA Regional Field House Preschool & After School Program		Telephone Number (506) 646-2102
Address 129 McAllister Drive Saint John NB E2J 2S6		
Name of Early Learning and Childcare Licensing Staff Breanne Jones		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	Jul 16, 2021	Aug 16, 2021
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Jul 16, 2021	Aug 16, 2021
Comments: Deficiency is now compliant			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Aug 31, 2021	
Comments: School-Age room: Wall between washroom and divider in poor repair. Has not been repaired or painted yet. Administrator states this work will be contracted out and will send proof of expected completion date to inspector.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Jul 19, 2021	Aug 16, 2021
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Jul 19, 2021	Aug 16, 2021
Comments: Deficiency is now compliant			
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	33(1)	Jul 19, 2021	Aug 16, 2021
Comments: Deficiency is now compliant			

General Comments
Follow up inspection completed today. Painting has not yet been completed.

General Comments

Children were observed during outdoor play time and were using a variety of materials and equipment.

Awaiting expected completion date for painting and confirmation that extreme allergy management plans have been reviewed by parent/guardian .

original signed by

Breanne Jones

Signature of Early Learning and Childcare Licensing Staff

August 16, 2021

Date

original signed by

Kara Fillmore

Signature of Operator/Designate

August 16, 2021

Date