

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 2019533	Inspection Date September 08, 2022	
Facility Name YMCA Regional Field House Child Care Centre		Telephone Number (506) 646-2102	
Address 129 McAllister Drive Saint John NB E2J 2S6			
Name of Early Learning and Childcare Licensing Staff Britta Garnett		Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Aug 31, 2022	Sep 08, 2022
Comments: Deficiency is now compliant			
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	Aug 31, 2022	Sep 08, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (v) the child's health history and a copy of the record of immunizations or a copy of an exemption.	24(1)(b)(v)	Aug 31, 2022	Sep 08, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c).	24(1)(c)(ii)	Aug 31, 2022	Sep 08, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Aug 31, 2022	Sep 08, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Aug 16, 2022	Sep 08, 2022

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: Deficiency is now compliant			
26(2) The operator of a licensed facility shall require the parent or guardian referred to in subsection (1) to sign a declaration confirming that he or she has read and understood the content of the handbook.	26(2)	Aug 31, 2022	Sep 08, 2022
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Sep 13, 2022	
Comments: Washroom between two/threes wall, near door - unclean. To be cleaned. Previous comply by date - August 17, 2022			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Sep 19, 2022	
Comments: Infant Room: Gate between groups - unclean/stained. To be deep cleaned and/or refinished. Gate to nap room broken and falling off wall. To be replaced. Some paint chips on walls throughout room. Paint touch ups required. Twos Room: Some paint chips on walls throughout room. Paint touch ups required. Threes Room: Some paint chips on walls throughout room. Paint touch ups required. Previous comply by date - August 31, 2022 If painting can not be completed by comply by date, work order must be submitted to licensing staff.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Sep 19, 2022	
Comments: Preschool Outdoor Play Area: Blue slide - has been removed however, sharp broken pieces of the plastic from slide and screws protruding where slide was removed on small climbing structure. Discussed with administrator during inspection.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Aug 31, 2022	Sep 08, 2022
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Aug 31, 2022	Sep 08, 2022
Comments: Deficiency is now compliant			
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	33(1)	Aug 31, 2022	Sep 08, 2022
Comments: Deficiency is now compliant			
49(1) An operator of a licensed facility shall ensure that the guidance of the children receiving services at the licensed facility is positive and includes positive reinforcement, encouraging efforts and recognizing accomplishments.	49(1)	Aug 16, 2022	Sep 08, 2022
Comments: Deficiency is now compliant			

General Comments

Follow Up Inspection.
Some orders for compliance remain.

original signed by
Britta Garnett

Signature of Early Learning and Childcare Licensing Staff

September 08, 2022

Date

original signed by
Op did not return report

Signature of Operator/Designate

September 08, 2022

Date