

## Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of opera	ator L	Licence N	lumber	Inspectio	on Date	
YMCA OF GR	EATER SAINT JOHN INC. 2	2019533		August 2	August 25, 2023	
Facility Name				Telepho	ne Number	
YMCA Regional Field House Child Care & After School Program			(506) 646-2102		6-2102	
Address				L		
129 McAllister	Drive Saint John NB E2J 2S6					
Name of Early Learning and Childcare Licensing Staff			Position Title			
Britta Garnett			Quality Assurance Monitor			
Order for Comp	liance		Regulation	Date to be corrected	Date corrected	
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.			21	Aug 14, 2023	Aug 25, 2023	
Comments:	Deficiency is now compliant			1	1	
advance and do and interests of	vities of a licensed facility shall be purposely plar cumented and shall respond to the capabilities, n each child and shall include (c) opportunities (ii) to forms of literacy.	leeds	21(c)(ii)	Aug 14, 2023	Aug 25, 2023	
Comments:	Deficiency is now compliant					
ecords and doc	rposes of subsection 20(1) of the Act, the followir uments shall be maintained on the premises of a (b) child records that include: (vii) documentary child's learning.		24(1)(b)(vii)	Aug 14, 2023	Aug 25, 2023	
Comments:	Deficiency is now compliant					
28(1) An operator of a licensed facility shall not change the allocation of space used to provide services or add to or alter any building or facility or any part of them unless the Minister has approved the changes in writing.		acility or h writing.	28(1)	Jul 31, 2023	Aug 25, 2023	
Comments:	Change in Service Application has been submitt Deficiency is now compliant	ted - waiti	ng on Fire re	commendation.		
	or of a licensed facility shall carry out emergency fire drills monthly.		28(2)	Jul 17, 2023	Aug 25, 2023	
Comments:	Deficiency is now compliant				· · ·	
() I	nises of a licensed facility shall comply with (a) lig ther general health standards under the Public H		28(3)(a)	Jul 14, 2023	Aug 25, 2023	
Comments:	Deficiency is now compliant					
	or shall maintain the indoor play area of a licensed fety of the children.	d facility	30(3)	Aug 14, 2023	Aug 25, 2023	
Comments:	Deficiency is now compliant					

Order for Compliance	Regulation	Date to be corrected	Date corrected
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Aug 14, 2023	Aug 25, 2023
Comments: Deficiency is now compliant	·	·	·
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Jul 17, 2023	Aug 25, 2023
Comments: Deficiency is now compliant			
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	33(1)	Aug 14, 2023	Aug 25, 2023
Comments: Deficiency is now compliant			•
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications.	t 39(2)(b)	Jul 10, 2023	Aug 25, 2023
Comments: Deficiency is now compliant			
General Comments			
General Comments Follow Up Inspection:			
Follow Up Inspection: Next steps with documentation: - updating child portfolios with documentation			
Follow Up Inspection: Next steps with documentation:		children to see t	hemselves
Follow Up Inspection: Next steps with documentation: - updating child portfolios with documentation - documentation to be posted at child's level and to be child focus		children to see t	hemselves
Follow Up Inspection: Next steps with documentation: - updating child portfolios with documentation - documentation to be posted at child's level and to be child focus within the environments and revisit their learning and experiences All orders now compliant. Recommended for licensing pending Public Health recommendati		children to see t	hemselves
Follow Up Inspection: Next steps with documentation: - updating child portfolios with documentation - documentation to be posted at child's level and to be child focus within the environments and revisit their learning and experiences All orders now compliant.	on.	children to see t ugust 25, 2023	hemselves
Follow Up Inspection: Next steps with documentation: - updating child portfolios with documentation - documentation to be posted at child's level and to be child focus within the environments and revisit their learning and experiences All orders now compliant. Recommended for licensing pending Public Health recommendati original signed by	on.		hemselves
Follow Up Inspection: Next steps with documentation: - updating child portfolios with documentation - documentation to be posted at child's level and to be child focus within the environments and revisit their learning and experiences All orders now compliant. Recommended for licensing pending Public Health recommendati original signed by Britta Garnett Signature of Early Learning and Childcare Licensing Staff original signed by	on. A Date	ugust 25, 2023	hemselves
Follow Up Inspection: Next steps with documentation: - updating child portfolios with documentation - documentation to be posted at child's level and to be child focus within the environments and revisit their learning and experiences All orders now compliant. Recommended for licensing pending Public Health recommendati original signed by Britta Garnett Signature of Early Learning and Childcare Licensing Staff original signed by Maria Cloney	on. A Date		hemselves