



## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Shannon Nevers	Licence Number 2019547	Inspection Date November 17, 2020	
Facility Name Pitter Patter Daycare		Telephone Number (506) 232-1099	
Address 102 Traynor Street Riverview NB E1B 3B2			
Name of Early Learning and Childcare Licensing Staff Carlo Di Bonaventura		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected

General Comments
<p>Most of the procedures in respect to the Covid-19 recovery phase document were followed by the operator during the inspection. The operator failed to take the temperature of the inspector and a parent who entered the facility during the inspection. The operator was advised that temperature checks must be conducted when an individual enters the facility.</p> <p>The inspector observed positive guidance between the children and the operator. The children learning activities were clearly documented.</p>

original signed by  
**Carlo Di Bonaventura**  
 \_\_\_\_\_  
 Signature of Early Learning and Childcare Licensing Staff

November 17, 2020  
 \_\_\_\_\_  
 Date

original signed by  
**Shannon Nevers**  
 \_\_\_\_\_  
 Signature of Operator/Designate

November 17, 2020  
 \_\_\_\_\_  
 Date