

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of Operator Shannon Nevers		Inspection Date June 18, 2026	
Facility Name Pitter Patter Daycare		Licence Number 2019547	
Address Riverview NB		Telephone Number (506) 232-1099	
Type of Facility Early Learning and Childcare Home	Maximum Number of Children 6	Ages of Children INFANTS PRESCHOOL SCHOOL-AGE	
ELCC Licensing Staff Sarah Babineau	Position Title Quality Assurance Monitor		

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records.	24(1)(j)	Jun 26, 2026	
Comments: The Quality Assurance Monitor observed that a fire extinguisher had expired in April 2026. The operator stated that the extinguisher had been inspected and will provide proof via email. The operator must ensure that all required inspections are completed and that the inspection tag reflects the correct date.			

General Comments
<p>The Quality Assurance Monitor conducted an on-site monitoring inspection in the mid-morning.</p> <p>The following elements were verified:</p> <ul style="list-style-type: none"> - Administration Records - Posted in a prominent Area - Safety - Premises - Nutrition - Health - Outdoor play area <p>During the visit, transition times were observed, including preparing to go outside, applying sunscreen, and signing "Child on the Bus" while waiting for others. A container holding 11 chrysalises was also observed. Children were engaged in outdoor play, where water tables were set up with soap, allowing them to mix their own solutions to create bubbles.</p> <p>The Quality Assurance Monitor had a discussion with the operator regarding designation requirements. The operator confirmed that she has completed her professional learning and that her Quality Improvement Plan is up to date.</p> <p>The ratio is respected during the monitoring inspection.</p>

original signed by
Sarah Babineau

Signature of Early Learning and Childcare Licensing Staff

June 19, 2026

Date

original signed by
Shannon Nevers

Signature of Operator/Designated staff

June 19, 2026

Date

"I hereby acknowledge receipt of this report"