

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence N		lumber		Inspection Date	
LISA ASTLE 2019551		I			October 17, 2019	
Facility Name					Telephone Number	
Kountry Kids Clubhouse					(506) 625-3388	
Address						
30 avenue Alcorn Blackville NB E9E 1Y2						
Name of Early Learning and Childcare Licensing Staff		Position Title				
Rachelle Roy Arseneau		Quality Assurance Monitor				
Order for Compliance		Regulation		Date to be corrected		Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached, Comments:		24(1)(b)(iv) Oct 3		1, 2019		
26(2) The operator of a licensed facility shall require the parent or guardian referred to in subsection (1) to sign a declaration confirming that he or she has read and understood the content of the handbook. Comments:		26(2)		Oct 3	1, 2019	
General Comments						
Ratio was is respected during the visit. The material in the room is at the children's level, There is a good variety of material for the children but I recommend that it is put on shelf so the children get to see what is available to them, I also recommanded to the administrator to create more of a defined zone for dress up.						
original signed by Rachelle Roy Arseneau Signature of Early Learning and Childcare Licensing Staff	f D	October 17, 2019 Date				
original signed by Whitney D Gallan Signature of Operator/Designate		October 17, 2019 Date				