

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| | | |
|--|---------------------------|---|
| Name of operator Brighter Horizon's Preschool and Afterschool Centre Inc. | Licence Number 2019570 | Inspection Date February 04, 2021 |
| Facility Name Brighter Horizons Preschool & Afterschool Centre | | Telephone Number (506) 327-3030 |
| Address 491 Pleasant Drive Minto NB E4B 2T4 | | |
| Name of Early Learning and Childcare Licensing Staff Jennifer Godin | | Position Title Quality Assurance Monitor |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|---|---------------|----------------------|----------------|
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c). | 24(1)(c)(ii) | Feb 11, 2021 | Feb 04, 2021 |
| Comments: Deficiency is now compliant. Operator was able to print proof of enrollment and add to staff file at time of visit. | | | |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator. | 24(1)(c)(vii) | Feb 11, 2021 | Feb 04, 2021 |
| Comments: Deficiency is now compliant Operator was able to print off document and put in staff file at the time of visit. | | | |
| 29 An operator of a licensed facility shall ensure that the traffic area and the outdoor walk-ways of the licensed facility are free from obstructions and hazards. | 29 | Feb 04, 2021 | |
| Comments: Walk way to outdoor play area must be shoveled out so door can be closed for the safety and security of the children. | | | |
| 44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (c) on each outing. | 44(c) | Feb 04, 2021 | |
| Comments: Educator took children outside for a walk and did not bring a first aid kit with her. As per section 10.8.44(c) in the ELC Operators Manual. | | | |

| |
|--|
| <p>General Comments</p> <p>When I arrived at the center there were only two children present. They seemed to be enjoying their play time. I was properly screen with the COVID questionnaire.</p> <p>Center is clean and bright and the educator was welcoming when I entered the building.</p> |
|--|

General Comments

As I was filing out the report the children were going out for a walk with one of the educators. Be sure the attendance record is brought with the educator during outings.

Noticed the corner of the matt by the door was curled up. This is a possible trip hazard and should be fastened securely to the floor for the safety of the staff and children.

Department is still waiting to receive all required documents for renewal application.

Monitoring visit was performed by Quality Assurance Monitor, Troy Williams.

original signed by
Jennifer Godin

Signature of Early Learning and Childcare Licensing Staff

February 04, 2021

Date

original signed by
Tabitha Darrah

Signature of Operator/Designate

February 04, 2021

Date