

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Nome of one	wata w	Liconoc	<b>.</b>			la an a ation	Doto		
'			Licence Number			Inspection Date			
HAMILTON HOMESTYLE DAYCARE LTD. 2019590			1			July 28, 2020			
Facility Name					Telephone Number				
Seawood Early Childcare Centre #2						(506) 652-9822			
Address									
859 Sand Cove Road Saint John NB E2M 3E5									
Name of Early Learning and Childcare Licensing Staff				Position Title					
Breanne Jones			Inspector						
Order for Compliance			Reg	~		to be	Date corrected		
21 The deily or	stivition of a licensed facility shall be purposely pla	annad in	04		corrected		Iul 28, 2020		
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs			21		Nov 22, 2019		Jul 28, 2020		
and interests o	f each child.								
Comments:	Deficiency is now compliant								
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (c) permitting the administration of medication in the circumstances set out in section 46.			27(c			,			
Comments:	Administration of medication form missing pare form prior to administering going forward.	ent signatu	re. O	btain par	ent's v	vritten conse	nt on medication		
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.			28(3	)(a)	Jul 28, 2020				
Comments:									
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.			30(3	)	Jul 31, 2020				
Comments: Particles (brick/mortar) are crumbling from the bottom of the brick wall within the school age room along the wall of the construction center. This powder like residue is collecting on the floor within the children's play space. The wall needs to be repaired.									
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.			32(1	1)(d) Jul 30, 2020					
Comments: Some toys were unclean within the Tong room (washer/dryer, play kitchen, and construction center), to be cleaned. The rainbow styled mat within the afterschool room is also collecting debris and needs to be vacuumed/cleaned.									

Order for Compliance	Regulation	Date to be corrected	Date corrected		
37 An operator of a licensed facility shall not permit a child receiving services at the licensed facility access to the kitchen unless the child is supervised.  Comments: Kitchen door left open during inspection today.	37	Jul 28, 2020			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;  Comments: Deficiency is now compliant					

## **General Comments**

Monitoring Inspection-COVID-19 Recovery Phase.

Children were observed during outdoor play today, reading books and exploring invitations set up throughout the room.

Observed educators engaging with the children and supporting imaginative play.

Washroom facilities: Washrooms must be cleaned/sanitized between groups of children if they are being used by more than 1 group. If children from separate groups are sharing the same bathroom, hand washing, activities and meal breaks may need to be staggered to meet the physical distancing requirement.

Children within each group must stay 2 meters away from children within a different group and their space. When a separate entrance to a group space is available, this should be used rather than walking through another groups room. If educators and children must share a common entrance to a room, rearranging the space, and the addition of signs or arrows taped to the floor may be necessary in order to ensure the physical distancing requirement can be met.

Recommending that facility review the COVID-19 Recovery Phase: Guidance to Early Learning and Childcare Facilities document with all staff.

original signed by  Breanne Jones	July 28, 2020
Signature of Early Learning and Childcare Licensing Staff	Date
Signature of Operator/Designate	Date