

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator LITTLE HARVARD EARLY LEARNING CENTRE INC	Licence Number 2019591	Inspection Date December 01, 2020
Facility Name Little Harvard Early Learning Centre-Gondola Point Campus		Telephone Number (506) 632-1300
Address 259 Gondola Point Road Rothesay NB E2E 1Z9		
Name of Early Learning and Childcare Licensing Staff Britta Garnett		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate; Comments: Deficiency is now compliant	11(a)	Nov 16, 2020	Dec 01, 2020
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c). Comments: Deficiency is now compliant	24(1)(c)(ii)	Nov 16, 2020	Dec 01, 2020
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator. Comments: Deficiency is now compliant	24(1)(c)(vii)	Nov 16, 2020	Dec 01, 2020
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility. Comments: Deficiency is now compliant	33(1)	Nov 16, 2020	Dec 01, 2020
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; Comments: Household paint unlocked in storage room in School Age Room. Lock had been added to door since last inspection however the new lock is now broken. To be repaired.	39(2)(a)	Dec 01, 2020	

General Comments
Follow Up Inspection:

General Comments

Children engaged in play this morning in both rooms.

Educators in preschool room have added new activities and routines to allow transition times to run smoother.

original signed by
Britta Garnett

Signature of Early Learning and Childcare Licensing Staff

December 01, 2020

Date

original signed by
Angela MacCallum

Signature of Operator/Designate

December 01, 2020

Date