



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Mouhamadou Issa Seck	Licence Number 2019596	Inspection Date February 10, 2020
Facility Name FitCamp90 After-School		Telephone Number (506) 860-0690
Address 274 Halifax Street Moncton NB E1C 9S3		
Name of Early Learning and Childcare Licensing Staff Erin MacLaggan		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Feb 11, 2020	
Comments: Children did not wash hands prior to eating a snack. Children and staff must wash hands prior to handling food/eating snack.			
29 An operator of a licensed facility shall ensure that the traffic area and the outdoor walk-ways of the licensed facility are free from obstructions and hazards.	29	Feb 11, 2020	
Comments: Exits from the large gym are blocked with snow and must be cleared immediately.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Feb 14, 2020	
Comments: Outdoor play area has not been cleared of snow. It must be accessible during operating hours of facility.			

<p>General Comments</p> <p>Child care facility is operated in a multi-use building. Training activities that are offered to the public are occurring in the small gym during the operating hours of the child care facility. This is not a part of the licensed facility. During the inspection, it was observed that two members of the public (a parent and child) were in the space used by child care facility while waiting for a child training in the gym. Operator must ensure that supervision of children in a multi-use building is direct supervision at all times.</p> <p>QAM and Operator discussed that in accordance with Regulation 27 parental signed consent is required prior to (f) permitting the child to participate in an outing; and (g) transporting or providing for the transportation of the child.</p> <p>Also discussed Public Health guidelines for the prevention of communicable diseases - as per Appendix 14 of the Operator Manual "In general, if your child is too sick to participate comfortably in activities and has symptoms or a condition that may affect the health of other children, it is necessary that your child not attend childcare."</p>
--

original signed by
Erin MacLaggan

February 10, 2020

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Issa Seck

February 10, 2020

Signature of Operator/Designate

Date