

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of Operator 700365 NB Inc.		Inspection Date April 22, 2026	
Facility Name The Children's Academy 2019		Licence Number 2019621	
Address Unit 4 440 Kimble Drive Fredericton NB E3B 7G6		Telephone Number (506) 206-4010	
Type of Facility Full-time Early Learning and Childcare Centre	Maximum Number of Children 49	Ages of Children INFANTS PRESCHOOL	
ELCC Licensing Staff Troy Williams	Position Title Quality Assurance Monitor		

Order for Compliance	Regulation	Date to be corrected	Date corrected
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Apr 30, 2026	
Comments: The sink faucet in the infants' bathroom does not shut off. The tap needs to be replaced. The toilet in the two-year old bathroom is leaking and needs to be resealed.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility,	32(1)(b)	Apr 24, 2026	
Comments: The mark making and craft materials were in a cabinet that was not accessible to the children. Children should have access to these materials at all times.			

<p><b>General Comments</b></p> <p>Upon arrival, some of the children were eating snacks while other groups were having circle time. After snack time and circle time the two year and three-year-old children got ready for outdoor play time. During outdoor playtime the children were observed playing on the seesaws, digging in the sandbox, running around and sitting at the new picnic tables.</p> <p>Circle time in some of the classrooms was about a half hour long with songs and activities. During this time some children began to lose interest and wanted to do another activity. The educators wanted the children to return to the current activity. During all activities, educators should be observing children's engagement levels and adjust activities accordingly.</p> <p>The educators are planning activities through monthly planning sheets and documenting the learning through learning stories.</p> <p>The classrooms are organized with learning centers with adequate materials for the children to learn and explore with. Magnetic walls have been added to the classrooms which the children seem to be enjoying. The faucet in the infant's bathroom needs to be replaced as the taps do not shut off properly. The toilet in the two-year-old bathroom is leaking along the base and needs to be resealed.</p> <p>In one of the classrooms the marking and craft materials were in a cabinet and not easily accessible for the children. Materials should be arranged on low open shelves and accessible to the children in the room.</p>
---

original signed by  
Troy Williams

April 24, 2026

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by  
**Kaylee Somerville**

April 24, 2026

---

Signature of Operator/Designated staff

---

Date

*"I hereby acknowledge receipt of this report"*