

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| Name of operator | Licence I | icence Number Inspection Dat | | n Date | | | | |
|---|------------------------------|------------------------------|---------------------------|---------------|--------------------|----------------|--|--|
| ORIGINS NATURAL LEARNING CHILDCARE LTD | 2019627 | | | | September 09, 2022 | | | |
| Facility Name | | | | | Telephone Number | | | |
| Origins NLC 627 | | | | | (506) 634-1979 | | | |
| Address | | | | | | | | |
| 4 Landing Court Quispamsis NB E2E 4R2 | | | | | | | | |
| Name of Early Learning and Childcare Licensing Staff | | | Position Title | | | | | |
| Lisa Green | | | Quality Assurance Monitor | | | | | |
| Order for Compliance | | Reg | ulation | Date corre | | Date corrected | | |
| 21 A licensee shall post the following documents in a clearly v prominent place in the facility associated with the licence: (a) th (b) a report provided under section 23; (c) an order issued under 28; and (d) a probationary license issued under section 29. Comments: Deficiency is now compliant | he licence; | 21(a |) – (d) | Oct 1 | 5, 2021 | Oct 27, 2021 | | |
| 24(1) For the purposes of subsection 20(1) of the Act, the follow records and documents shall be maintained on the premises of licensed facility: (b) child records that include: (iv) the name, a telephone number of at least two individuals authorized by the parent or guardian to pick up the child and to be contacted in c emergency if the parent or guardian cannot be reached, Comments: Deficiency is now compliant | f a ddress and child's | 24(1 |)(b)(iv) | Oct 1 | 5, 2021 | Oct 27, 2021 | | |
| 28(3) The premises of a licensed facility shall comply with (a) | lighting | 28/3 |)(2) | Oct 1 | 5, 2021 | Oct 27, 2021 | | |
| ventilation and other general health standards under the Public Health Act. | | 28(3)(a) Oct 1 | | 5, 2021 | 00127,2021 | | | |
| Comments: Deficiency is now compliant | | | | | | | | |
| 29 An operator of a licensed facility shall ensure that the traffic the outdoor walk-ways of the licensed facility are free from obs and hazards. | | 29 | | Oct 1 | 5, 2021 | Oct 27, 2021 | | |
| Comments: Deficiency is now compliant | | | | | | | | |
| 31(3) An operator shall maintain the outdoor play area of a lice facility to ensure the safety of the children. | ensed | 31(3 |) | Sep 2 | 29, 2021 | Oct 27, 2021 | | |
| Comments: Deficiency is now compliant | | | | | | | | |
| 32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (c) in compliance with the Canada Consumer Product Safety Act (Canada) and the regulations under that Act. | | 32(1)(c) Sep 2 | | 29, 2021 | Oct 27, 2021 | | | |
| Comments: Deficiency is now compliant | | | | | | | | |
| 39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; | | 39(2)(a) Sep 2 | | 29, 2021 | Oct 27, 2021 | | | |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|--|----------------|-------------------------|----------------|
| Comments: Deficiency is now compliant | | | · |
| General Comments | | | |
| All orders for compliance are now compliant, licence renewal i | s recommended. | | |
| original signed by Lisa Green | No | vember 02, 202 | 1 |
| Signature of Early Learning and Childcare Licensing Staff | Date | <u>voinisor 02, 202</u> | <u>.</u> |
| original signed by Courtney Richard | No | vember 02, 202 | 1 |
| Signature of Operator/Designate | Date | | |