

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Lice		Licence N	Num	ber		Inspection Date				
		2019634				March 10, 2023				
Facility Name						Telephone	Number			
Mud Pies & Butterflies Family Childcare						(506) 874-9922				
Address										
24 Remi Court Dieppe NB E1A 6V7										
Name of Early Learning and Childcare Licensing Staff				Position Title						
Erika Hickey			Quality Assurance Monitor							
Order for Compliance			Reg	gulation Date corre		to be cted	Date corrected			
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;			11(a	1(a) Mar (03, 2023	Mar 05, 2023			
Comments: During the last monitoring inspection, a new staff did not have a proof of a valid first aid certification and valid cardiopulmonary resuscitation certificate. A proof was sent to the Quality Assurance Monitor by email and while on-site for this monitoring inspection, the Quality Assurance Monitor can confirm that a proof of certification is in the staff records. Deficiency is now compliant										
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.			11(b) Feb		Feb 2	27, 2023	Mar 10, 2023			
Comments: During the last monitoring inspection, the proof of training certificates and diplomas for a new staff member was you in the staff records. While doing an on-site follow-up inspection, the Quality Assurance Monitor was able to observe a transcript from the staff member's Bachelor in Education degree. The copy of the certification providing proof of completion was not in the staff records. The educator on-site explained that they have requested a certificate from the university and upon receipt, this will be placed in the staff file. Proof of enrollment in the 90 hours online course was placed in the staff records. Deficiency is now compliant										
administrator of	ely on demand by an inspector, the operator or a licensed facility shall produce a record or doc inspector under subsection (4).		22(5)	Mar (03, 2023	Mar 10, 2023			
24(1) For the purecords and doc licensed facility: member's qualif paragraph 11(b)	24(1)(c)(ii)	Feb 2	27, 2023	Mar 10, 2023					
Comments: During the last monitoring inspection, the proof of training certificates and diplomas for a new staff member was you in the staff records. While doing an on-site follow-up inspection, the Quality Assurance Monitor was able to observe a transcript from the staff member's Bachelor in Education degree. The copy of the certification providing proof of completion was not in the staff records. The educator on-site explained that they have requested a certificate from the university and upon receipt, this will be placed in the staff file. Proof of enrollment in the 90 hours online course was placed in the staff records. Deficiency is now compliant										

Order for Com	pliance	Regulation	Date to be corrected	Date corrected					
records and do licensed facility declaration con	urposes of subsection 20(1) of the Act, the following cuments shall be maintained on the premises of a : (c) staff member records that include (iv) a signed firming that the staff member has read and understood his ns under the Act and this Regulation.	24(1)(c)(iv)	Feb 27, 2023	Mar 10, 2023					
Comments:	During the last monitoring inspection, a new staff did not obligations under the Act and licensing regulation as they regulation. During an on-site follow-up inspection, the Qu statement is has been signed and is in the staff records.	v had not yet re ality Assurance	ead the Early Child e Monitor can cont	hood Services and					
records and do licensed facility valid first aid ce	urposes of subsection 20(1) of the Act, the following cuments shall be maintained on the premises of a : (c) staff member records that include (vii) a copy of a ertificate and a valid cardiopulmonary resuscitation ach administrator and educator.	24(1)(c)(vii)	Mar 03, 2023	Mar 05, 2023					
Comments:	During the last monitoring inspection, a new staff did not have a proof of a valid first aid certification and valid cardiopulmonary resuscitation certificate. A proof was sent to the Quality Assurance Monitor by email and while on-site for this monitoring inspection, the Quality Assurance Monitor can confirm that a proof of certification is in the staff records. Deficiency is now compliant								
6.4(2) The oper plan and revise	rator shall implement and monitor the quality improvement		Apr 01, 2023						
Comments:	The Quality Assurance Monitor asked the educator on-sit has been sent to their Assessment and Improvement Fac working on it and that they will be submitting the docume Quality Assurance Monitor had reminded the administrate sent as soon as possible. The Quality Improvement Plan regulation 6.4(2) The operator shall implement and monit year. The administrator must submit the Quality Improver element of designation, if the administrator fails to submit Improvement Facilitator within the time indicated, licensir status.	cilitator. The ed nts soon. Dur or that the Qua as yet to have or the quality i ment Plan with t their written p	ducator shared tha ing the last monito ality Improvement I be been received. A improvement plan in the time indicate olan to their Assess	t they are currently ring inspection, the Plan needed to be ccording to and revise it every ed. Since this is an sment and					

General Comments

The Quality Assurance Monitor is on-site to do a follow-up inspection to verify the compliance of elements from the last monitoring inspection. During the inspection, the Quality Assurance Monitor was able to observe children sleeping during nap time while a group of children were playing outside. An educator shared that they will be having a movie night in the afternoon as a special activity. The ratio was respected during the inspection.

During the last Monitoring Inspection, the Quality Assurance Monitor had requested to verify a new staff record to verify that the staff member has the required checks. The educator was unable to access the documents during the inspection and the Quality Assurance Monitor was unable to have access to the documents upon request. This was a non-compliance under the Early Childhood Services Act, 22(5) Immediately on demand by an inspector, the operator or administrator of a licensed facility shall produce a record or document required by the inspector under subsection (4). The Quality Assurance Monitor waited an additional hour following the end of the inspected elements that was scheduled for the monitoring inspection in order to give the educator time to be able to provide the requested documents. Records and documents must be accessible to the authorized government representatives at all times. A written plan was requested to be created and submitted to the Quality Assurance Monitor has not yet received a written plan indicating how this would be remediated. During the follow-up on-site, an educator informed the QAM of their plan verbally that detailed how the documents would be accessible at all times. The element was compliant during the inspection as the Quality Assurance Monitor has not yet informed the QAM of their plan was shared.

original signed by Erika Hickey

Date

Signature of Operator/Designate

Date