

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Bridge Street Children's Academy Inc.	Licence Number 2019665	Inspection Date October 24, 2023
Facility Name Dufferin Street Afterschool Academy		Telephone Number (506) 536-1066
Address 10 Dufferin Street Sackville NB E4L 3W3		
Name of Early Learning and Childcare Licensing Staff Kyleigh Roy		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Sep 29, 2023	Oct 24, 2023
Comments: During the follow-up inspection, the inspector observed that the name, address and telephone number of at least 2 emergency contacts are present in the 5 child files audited. Deficiency is now compliant.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Oct 18, 2023	Oct 24, 2023
Comments: During the follow-up inspection, the inspector observed that the dilapidated shed and broken toys have been removed from the outdoor play area. Deficiency is now compliant.			
40(1) An operator of a licensed facility shall ensure that personal belongings of a child receiving services at the licensed facility that are brought to the licensed facility, including combs, brushes, toothbrushes, towels, washcloths, bedding, pacifiers and soothers, are (a) labelled with the name of the child.	40(1)(a)	Oct 02, 2023	Oct 24, 2023
Comments: During the inspection, the inspector observed that 3 out of 4 water bottles verified are labelled with the name of the child. During the inspection, the administrator wrote the name of the child on the water bottle. The administrator also informed the inspector that a memo had been sent out to parents regarding the importance of labelling personal items with the children's names. Deficiency is now compliant.			

<p><b>General Comments</b></p> <p>During the follow-up inspection, the inspector observed outdoor free play.</p> <p>The ratio is respected during the inspection.</p>
---

original signed by  
Kyleigh Roy

November 09, 2023

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by  
Kayla Estabrooks

---

Signature of Operator/Designate

November 09, 2023

---

Date