

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of Operator Bridge Street Children's Academy Inc.		Inspection Date July 16, 2026
Facility Name Dufferin Street Afterschool Academy		Licence Number 2019665
Address 10 Dufferin Street Sackville NB E4L 3W3		Telephone Number (506) 536-1066
Type of Facility Part-time Early Learning and Childcare Centre	Maximum Number of Children 60	Ages of Children SCHOOL-AGE
ELCC Licensing Staff Tina Richard Tardif	Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Jul 24, 2026	
Comments: A broken lazy boy chair is open and stored in the back of the downstairs classroom against other chairs. The play area must be maintained safe and clean at all times.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Jul 24, 2026	
Comments: A chair in the play area is all ripped with a spring coming out of it. All materials and equipment in the indoor area must be clean and in good repair.			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	Jul 24, 2026	
Comments: The monthly review for the outdoor play area was not provided. A monthly review and maintenance plan must be completed on all stationary equipment showing the review and repair dates; the action required and taken; and the name of the staff completing the review.			
43 An operator of a licensed facility shall not permit hot beverages in areas that are occupied by the children receiving services at the licensed facility, including the outdoor play area, unless (a) the beverage is in a spill-proof container	43(a)	Jul 16, 2026	Jul 16, 2026
Comments: A hot chocolate was on top of a shelf in a cup in the classroom. Educator immediately remove the hot chocolate from the shelf and class. Deficiency is now compliant.			

General Comments
Inspector is on site for the renewal inspection.
During the renewal inspection, the inspector observed the children playing freely indoors, outdoors and lunch time.
Ratio is respected during the inspection.

original signed by

July 20, 2026

Tina Richard Tardif

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by

Kayla Estabrooks

Signature of Operator/Designated staff

July 20, 2026

Date

"I hereby acknowledge receipt of this report"