

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of Operator Bridge Street Children's Academy Inc.		Inspection Date September 25, 2026
Facility Name Dufferin Street Afterschool Academy		Licence Number 2019665
Address 10 Dufferin Street Sackville NB E4L 3W3		Telephone Number (506) 536-1066
Type of Facility Part-time Early Learning and Childcare Centre	Maximum Number of Children 60	Ages of Children SCHOOL-AGE
ELCC Licensing Staff Monica Maltais	Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Jul 24, 2026	Sep 25, 2026
Comments: The inspector observed that the indoor play area is maintained safe and clean. The administrator informed the inspector that the broken chair has been removed from the indoor play area. Deficiency is now compliant.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Jul 24, 2026	Sep 25, 2026
Comments: The inspector observed that the indoor play area materials and equipment are clean and in good repair. Deficiency is now compliant.			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	Jul 24, 2026	Sep 25, 2026
Comments: The administrator provided the inspector the monthly review and maintenance plan completed on all stationary equipment showing: the review and repair dates; the action required and taken; and the name of the staff completing the review. Deficiency is now compliant.			

General Comments
The inspector is on site to conduct the follow-up inspection. During the inspection, the inspector observed the children arriving from school and the indoor free play. All previous deficiencies are now compliance. The ratio is respected during the inspection.

original signed by
Monica Maltais

Signature of Early Learning and Childcare Licensing Staff

September 25, 2026

Date

original signed by

September 25, 2026

Kayla Estabrooks

Signature of Operator/Designated staff

Date

"I hereby acknowledge receipt of this report"