

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

lame of operator Licence I		Number			Inspection Date		
MJA Walsh Childcare Ltd. 2019674					September 14, 2022		
Facility Name					Telephone Number		
Wee College Pine Glen Too				(506) 387-1800			
Address							
213 Pine Glen Road Riverview NB E1B 4V1							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Tina Richard Tardif			Inspector				
Order for Compliance		Reg	Regulation		to be cted	Date corrected	
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;			(2)(a) Sep		14, 2022	Sep 14, 2022	
Comments: While doing the renewal inspection, inspector noticed a cabinet on the wall unlocked with toxic products and medication in it. Educator immediately locked the cabinet. Deficiency is now compliant							
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications.			39(2)(b) Sep		14, 2022	Sep 14, 2022	
Comments: While doing the renewal inspection, inspector noticed a cabinet on the wall unlocked with toxic products and medication in it. Educator immediately locked the cabinet. Deficiency is now compliant							
General Comments							
Inspector observed group of children arriving from school and having snack before beginning outside play.							
Ratio was respected during the renewal inspection.							
original signed by Tina Richard Tardif September 14, 2022 Signature of Early Learning and Childcare Licensing Staff Date							
original signed by							

Karen Churchill Signature of Operator/Designate September 14, 2022

Date

Page 1 of 1