

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2019678	Inspection Date March 18, 2024	
Facility Name Powerplay Academy Moncton 4		Telephone Number (506) 854-7529	
Address 1220 Ryan Street Moncton NB E1G 2V6			
Name of Early Learning and Childcare Licensing Staff Ashley Kelly		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child and shall include (c) opportunities (iv) to explore the arts and sciences.	21(c)(iv)	Mar 08, 2024	Mar 18, 2024
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (v) a copy of a criminal record check or vulnerable sector check, as the case may be.	24(1)(c)(v)	Mar 06, 2024	Mar 18, 2024
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Mar 06, 2024	Mar 18, 2024
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (e) the name and telephone number of the inspector.	25(e)	Mar 08, 2024	Mar 18, 2024
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (g) whether a child receiving services at the licensed facility has a life-threatening allergy and a description of that allergy.	25(g)	Mar 06, 2024	Mar 18, 2024
Comments: Deficiency is now compliant			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Mar 13, 2024	
Comments: Toilet paper holder is ripped from wall with exposed screws and drywall. This must be replaced.			

General Comments

Quality Assurance Monitor discussed how the rooms are divided with staff and administrator. Groupings must not exceed the requirement for two educators. In a school age program this is 30 children for every two educators. Staff must be made aware of these regulations and a system created to ensure the groupings do not exceed 30, and staff are aware of which children they are responsible for.

original signed by  
Ashley Kelly

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

March 18, 2024

\_\_\_\_\_  
Date

original signed by  
Katia Allain

\_\_\_\_\_  
Signature of Operator/Designate

March 18, 2024

\_\_\_\_\_  
Date