

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2019680	Inspection Date December 03, 2024
Facility Name Powerplay Academy Moncton 5		Telephone Number (506) 854-7529
Address 1220 Ryan Street Moncton NB E1G 2V6		
Name of Early Learning and Childcare Licensing Staff Tina Richard Tardif		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Dec 03, 2024	Dec 03, 2024
Comments: 1 educator does not have a valid first aid and cardiopulmonary resuscitation certificate. Administrator indicates that the course has been completed, however a certificate has not yet been obtained. Proof was sent and administrator added a copy to the employee's file. Deficiency is now compliant			
12(2) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may be, and a check with the Department of Social Development is conducted on each individual before he or she becomes a staff member.	12(2)	Dec 05, 2024	
Comments: 1 new employee did not have a criminal/vulnerable check. A criminal/vulnerable check is mandatory prior to employment. The employee did leave the facility and cannot return before a criminal/vulnerable check is done.			
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	Dec 06, 2024	
Comments: The last renewal inspection report is not posted on a clearly visible place. All reports are to be posted in a visible and prominent place in the facility.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c).	24(1)(c)(ii)	Dec 03, 2024	Dec 03, 2024
Comments: 1 employee did not have a copy of proof for the 90hrs registration course. Administrator immediately prints a copy and place it to the employee's file. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (v) a copy of a criminal record check or vulnerable sector check, as the case may be.	24(1)(c)(v)	Dec 05, 2024	

Order for Compliance	Regulation	Date to be corrected	Date corrected
<p>Comments: 1 new employee did not have a criminal/vulnerable check. A criminal/vulnerable check is mandatory prior to employment. The employee did leave the facility and cannot return before a criminal/vulnerable check is done.</p>			
<p>24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.</p>	<p>24(1)(c)(vii)</p>	<p>Dec 03, 2024</p>	<p>Dec 03, 2024</p>
<p>Comments: 1 educator does not have a valid first aid and cardiopulmonary resuscitation certificate. Administrator indicates that the course has been completed, however a certificate has not yet been obtained. Proof was sent and administrator added a copy to the employee's file. Deficiency is now compliant</p>			
<p>39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;</p>	<p>39(2)(a)</p>	<p>Dec 04, 2024</p>	
<p>Comments: In two of the classes' washroom, several bottles of aerosol spray (Luv fresh) are found on top shelves. All toxic products are to be locked by key and inaccessible to children.</p> <p>In another classroom, a closet is unlocked with the key in the door. Toxic products are in the closet. Educator is advise and immediately locks the door and takes the key out of the door.</p>			

General Comments
<p>During the renewal inspection, inspector observed indoor play, outdoor play as well as lunch time and the nap period. Inspector observed positive interactions between the educators and the children. Children were excited about making a gingerbread craft.</p> <p>Ratio is respected during the inspection.</p>

original signed by
Tina Richard Tardif

Signature of Early Learning and Childcare Licensing Staff

December 03, 2024

Date

original signed by
Katia Allain

Signature of Operator/Designate

December 03, 2024

Date