

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2019680	Inspection Date October 18, 2024
Facility Name Powerplay Academy Moncton 5		Telephone Number (506) 854-7529
Address 1220 Ryan Street Moncton NB E1G 2V6		
Name of Early Learning and Childcare Licensing Staff Stephanie Hickey		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Nov 18, 2024	
Comments: While entering new staff members into the system, the Quality Assurance Monitor observed that one staff member's first aid certificate and CPR certificate are not valid. The Quality Assurance Monitor mentioned to the administrator that the first aid certificate and CPR certificate for one of the staff members is not valid and reminded the administrator that the staff member in question cannot be left alone with children until a valid first aid certificate and CPR certificate are provided.			

General Comments The Quality Assurance Monitor is on site for a monitoring inspection. Ratio is respected during the visit. While on site the Quality Assurance Monitor observed children eating a snack and getting ready to go play outside.

original signed by
Stephanie Hickey

Signature of Early Learning and Childcare Licensing Staff

October 18, 2024

Date

original signed by
Katia Allain

Signature of Operator/Designate

October 18, 2024

Date