

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2019683	Inspection Date November 22, 2022	
Facility Name Powerplay Academy Moncton 6		Telephone Number (506) 860-7529	
Address 1220 Ryan Street Moncton NB E1G 2V6			
Name of Early Learning and Childcare Licensing Staff Mireille Comeau		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
22 The daily routine of a licensed facility shall include (b) a period of rest for a length of time that meets the needs of each infant and preschool child receiving services at the licensed facility but that does not exceed two consecutive hours unless there is a written request from a child's parent or guardian to extend the length of time.	22(b)	Nov 22, 2022	Nov 22, 2022
<p>Comments: The daily routine of a licensed facility shall include a period of rest for a length of time that meets the needs of each preschool child. The inspector observed that when children are waking up, they are not allowed to get up and they have to stay on their nap mats. Children who do not rest the entire time are allowed to get up and play quietly or join other children who are not resting. A separate space is provided for children who do not nap, so they do not disturb resting children. Children who do not nap are not required to rest, but they may play quietly. The daily routine must be adjusted to ensure that the rest time meets the needs of each child.</p> <p>The inspector had a conversation with the educators and they change the rest schedule. The children that was not sleeping was able to have some quiet play time.</p> <p>Deficiency is now compliant</p>			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (v) the child's health history and a copy of the record of immunizations or a copy of an exemption.	24(1)(b)(v)	Dec 02, 2022	
<p>Comments: The inspector audited 10 child files, 3 child file is missing a copy of proof of immunizations. The administrator must ensure that all child files are up to date.</p>			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Nov 22, 2022	
<p>Comments: While conducting the renewal inspection, the inspector observed that the daily attendance records are not completed. The daily attendance records must be accurate and reflect all children present at any given time and showing all absences with the detailing the reason with the codes.</p> <p>The inspector observed that the daily attendance records sheet has been modified. The operator must use the daily attendance records provided by the Minister (Appendix 10 from the Operator Manual).</p>			
31(4) An operator shall ensure that the outdoor play area of a licensed facility (b) consists of more than one surface to permit different types of play.	31(4)(b)	Nov 22, 2022	

Order for Compliance	Regulation	Date to be corrected	Date corrected
<p>Comments: While conducting the renewal inspection, the inspector observed the younger preschoolers plays in a fences playground that has only one surface. The educators inform the inspector that they go in another fenced playground that has different surfaces once in a while. An operator shall ensure that the outdoor play area of a licensed facility consists of more than one surface to permit different types of play at all times.</p>			
<p>33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.</p>	33(2)	Dec 02, 2022	
<p>Comments: While conducting the renewal inspection, the inspector observed that there is missing some protective surfaces surrounding the stationary equipment. Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.</p>			
<p>38(2) An operator of a licensed facility shall supervise a child while the child is using the washroom if the washrooms are not used exclusively by the children, the operator and staff members at the licensed facility.</p>	38(2)	Nov 22, 2022	
<p>Comments: While conducting the renewal inspection, the inspector observed that children are going alone at the bathroom. Children must be supervised at all time including at the bathroom.</p>			
<p>47(1) An operator of a licensed facility shall refuse admission to a child if satisfactory proof of the immunizations required by the Public Health Act or the regulations under that Act is not provided.</p>	47(1)	Dec 02, 2022	
<p>Comments: The inspector audited 10 child files, 3 child file is missing a copy of proof of immunizations. The administrator must ensure that all child files are up to date.</p>			

<p>General Comments</p>
<p>While conducting the renewal inspection, the inspector observed all the children playing outside.</p> <p>The inspector observed positive interaction between the educators and the children.</p>

original signed by  
Mireille Comeau

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

November 25, 2022

\_\_\_\_\_  
Date

original signed by  
Katia Allain

\_\_\_\_\_  
Signature of Operator/Designate

November 25, 2022

\_\_\_\_\_  
Date