

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator School Street Child Care Inc.	Licence Number 2019690	Inspection Date July 07, 2022
Facility Name School Street Child Care		Telephone Number (506) 328-0089
Address 201 School Street Woodstock NB E7M 0G7		
Name of Early Learning and Childcare Licensing Staff Nancy Glendenning		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Oct 06, 2021	Nov 23, 2021
Comments: Deficiency is now compliant			
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	Oct 15, 2021	Nov 23, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Oct 15, 2021	Nov 23, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Oct 15, 2021	Nov 23, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Oct 15, 2021	Nov 23, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records.	24(1)(j)	Oct 15, 2021	Nov 23, 2021

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (k) emergency evacuation and fire drill records.	24(1)(k)	Oct 15, 2021	Nov 23, 2021
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (d) the name of the administrator.	25(d)	Oct 15, 2021	Nov 23, 2021
Comments: Deficiency is now compliant			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	Oct 15, 2021	Nov 23, 2021
Comments: Deficiency is now compliant			
31(4) An operator shall ensure that the outdoor play area of a licensed facility (a) includes a shaded area that is at least 10% of the outdoor play area.	31(4)(a)	Oct 06, 2021	Nov 23, 2021
Comments: Deficiency is now compliant			
31(4) An operator shall ensure that the outdoor play area of a licensed facility (b) consists of more than one surface to permit different types of play.	31(4)(b)	Oct 15, 2021	Nov 23, 2021
Comments: Deficiency is now compliant			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Oct 05, 2021	Nov 23, 2021
Comments: Deficiency is now compliant			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	Oct 15, 2021	Nov 23, 2021
Comments: Deficiency is now compliant			

General Comments

All compliances have been met for licensing.

Licensing staff can recommend for licensing pending current Fire and Health inspections.

original signed by
Nancy Glendenning

Signature of Early Learning and Childcare Licensing Staff

November 23, 2021

Date

original signed by
Emily Gaddas

Signature of Operator/Designate

November 23, 2021

Date