

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator School Street Child Care Inc.	Licence Number 2019690	Inspection Date October 04, 2023
Facility Name School Street Child Care		Telephone Number (506) 328-0089
Address 201 School Street Woodstock NB E7M 0G7		
Name of Early Learning and Childcare Licensing Staff Jenelle Hanscom		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Oct 06, 2023	
Comments: One staff member had an expired first aid and CPR certificate.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Sep 27, 2023	Sep 26, 2023
Comments: Deficiency is now compliant  At the time of the inspection one toilet water tank was missing a cover, the operator was able to cover the tank with a piece of plastic and has ordered a lid.			
36(7) A nap mat shall be at least 5 cm in thickness and stored in a way that avoids contact with the surface of another nap mat or disinfected on both sides after each use.	36(7)	Oct 06, 2023	
Comments: One classroom had nap mats stacked on top of each other. If nap mats are stacked they need to have the blankets removed and the mat sanitized between each use. Alternatively, already made mats can be stored if they are seperated and not touching.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Sep 26, 2023	Sep 26, 2023
Comments: Deficiency is now compliant  Rubbing alcohol, contact solution and peroxide were stored within the classroom cabinet but were not locked. Operator and educators were able to place items in a locked cabinet during the inspection.			

<p><b>General Comments</b></p> <p>Purpose of visit was for renewal inspection. All classrooms were clean, bright and well organized. Some tables had adhesive stuck to them and should be scrubbed to remove any sticky residue. Program planning was completed in each classroom and all materials were developmentally appropriate and supported a variety of play based experiences.</p>
---

General Comments

Under bathroom vanity requires organization so clothing, diapers and materials from children can be stored separately. Chocolates were also under the bathroom vanity and need to be removed, no food can be stored in the bathroom area.

One classroom did not have children signed into the daily register. The educator was able to do this during the inspection. The register is to be maintained and up to date at all times as the department does not use the HiMama app during inspections.

Educators were observed counting children out loud when taking some into the hall to get ready for outdoor play. Ratio was maintained at all times throughout the inspection. Educators always spoke to children in an appropriate manner and tone and positive behavior guidance was observed.

Outdoor play space was maintained and safe. Appropriate amount of sand was surrounding play structures. Infants were in a separate play space from older children and age-appropriate materials were available for all children. Water was available for children while they were in the outdoor play space. Three-year-old children went for a walk with their educators who took water, first aid kit and attendance with them.

Operators dog was present during the time of the inspection. All appropriate paperwork was on file showing up to date vaccinations and annual exam. One staff member had an expired CRP and First aid. Please provide proof of enrollment in an approved CPR course. All other documents were up to date and filed appropriately.

original signed by  
Jenelle Hanscom

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

October 04, 2023

\_\_\_\_\_  
Date

original signed by  
Emily Gaddas

\_\_\_\_\_  
Signature of Operator/Designate

October 04, 2023

\_\_\_\_\_  
Date