

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Willow Bend Early Learning Centre Inc.	Licence Number 2020006	Inspection Date July 13, 2023
Facility Name Willow Bend Early Learning Centre		Telephone Number (506) 386-2300
Address 1097 Salisbury Road Moncton NB E1E 3V9		
Name of Early Learning and Childcare Licensing Staff Sophie Powers		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.	11(b)	Jul 03, 2023	Jul 13, 2023
Comments: The staff in question now holds an ECE certificate. Deficiency is now compliant			
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	May 19, 2023	Jul 13, 2023
Comments: During the follow up inspection, QA monitor was able to see that the last renewal inspection report and the last monitoring inspection reports were posted in a prominent and visible place in the facility. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c).	24(1)(c)(ii)	Jul 03, 2023	Jul 13, 2023
Comments: The ECE certificate of the staff in question was in her file. Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	May 16, 2023	Jul 13, 2023
Comments: In each classroom, a designated area locked by lock and key for toxic products such as bug spray was added. Deficiency is now compliant			

<p>General Comments</p> <p>On site for a follow-up monitoring inspection. Ratio was respected during the visit.</p> <p>All deficiencies are now compliant.</p>

original signed by
Sophie Powers

July 13, 2023

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Carrie LeBlanc

July 13, 2023

Signature of Operator/Designate

Date