

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator The Woods Early Education Corp.	Licence Number 2020034	Inspection Date March 03, 2021	
Facility Name The Woods 034		Telephone Number (506) 608-8333	
Address 193 Pettingill Road Quispamsis NB E2E 3S8			
Name of Early Learning and Childcare Licensing Staff Lisa Green		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	Mar 31, 2021	
Comments: Emergency evacuation and fire drill not completed for February, 2021.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Mar 03, 2021	
<p>Comments: Inspectors were not screened or asked to sign a visitor log upon arrival to the facility or after prompting educator onsite that screening needed to be completed. As per Orange phase changes in directives document dated Nov 19, 2020: Active screening will be done before entering an elcc facility. this applies to early learning and childcare facility staff, children and other personnel deemed essential. As per COVID-19 Guidance for ELCC facilities document dated Dec. 16, 2020: Employees of ELCC facilities are required to complete a log...visiting professionals.</p> <p>Covid-19 screening information not posted at entry of the building. As per Orange phase changes in directives document dated Nov 19, 2020: ELCC facilities must post the screening requirements at the entrance of the facility</p> <p>One (1) parent observed to enter the facility to drop off her child. As per Orange phase changes in directives document dated Nov 19, 2020: Parents and guardians will not be permitted to enter an ELCC facility during an orange alert level.</p> <p>17 Children grouped together as one bubble. As per COVID-19 Guidance for ELCC facilities document dated Dec. 16, 2020: Groupings of children- ELCC facilities will organize children into smaller group sizes. Each group must not exceed 15 children. Children do not have to practice physical distancing within their group: however, they will not be able to interact with other groups and will have to keep a physical distance of two (2) metres from children from other groups.</p>			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Dec 10, 2020	Mar 02, 2021
Comments: Deficiency is now compliant			

Order for Compliance	Regulation	Date to be corrected	Date corrected
43 An operator of a licensed facility shall not permit hot beverages in areas that are occupied by the children receiving services at the licensed facility, including the outdoor play area.	43	Mar 03, 2021	
Comments: 2 cups of hot beverage on shelf between entry and children's play space.			
50(2) The operator of a licensed facility shall inform the parent or guardian of a child involved in an incident on the day the incident takes place and shall ensure that the parent or guardian signs the daily log to confirm their awareness.	50(2)	Mar 09, 2021	
Comments: One incident log dated December 22, 2020 not signed by parent.			

General Comments
<p>Children were making use of all interest areas, including painting, working with clay, building with blocks and small manipulatives in the indoor play space. Documentation of activities, learning stories and project work posted throughout the environment, demonstrates educators dedication to programming and highlighting children's learning.</p> <p>Educators were observed engaging in play and encouraging children's efforts. The children were spending the morning indoors due to the wind-chill of -29.</p> <p>Ensure a copy of required COVID-19 documents are present onsite for educators to review.</p> <p>Educator reports that garage breakout space not currently being used.</p>

original signed by  
Lisa Green

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

March 03, 2021

\_\_\_\_\_  
Date

original signed by  
Erin Schryer

\_\_\_\_\_  
Signature of Operator/Designate

March 03, 2021

\_\_\_\_\_  
Date