

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| | | | |
|---|---------------------------|---|----------------|
| Name of operator The Woods Early Education Corp. | Licence Number 2020034 | Inspection Date May 17, 2021 | |
| Facility Name The Woods 034 | | Telephone Number (506) 608-8333 | |
| Address 193 Pettingill Road Quispamsis NB E2E 3S8 | | | |
| Name of Early Learning and Childcare Licensing Staff Lisa Green | | Position Title Quality Assurance Monitor | |
| Order for Compliance | Regulation | Date to be corrected | Date corrected |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner. | 24(1)(b)(ii) | Jun 14, 2021 | |
| Comments: Physician address missing from one child file. Random review of files. | | | |
| 25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (g) whether a child receiving services at the licensed facility has a life-threatening allergy and a description of that allergy. | 25(g) | May 17, 2021 | |
| Comments: | | | |
| 28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. | 28(3)(a) | May 31, 2021 | |
| Comments: first bathroom- baseboards dusty and base of toilet unclean. Pink bathroom- Panel in door under sink, loose and falling off. Heater pulling away from wall. Entry/ Cubby area- Heater pulling away from wall. | | | |
| 30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children. | 30(3) | May 21, 2021 | |
| Comments: Baseboards dusty in children's play areas. Big picture window ledge unclean. | | | |
| 31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children. | 31(3) | May 21, 2021 | |
| Comments: Splintered wood on side of sand table. | | | |
| 32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility. | 32(1)(a) | May 17, 2021 | |
| Comments: Children in group 1 (right side of cottage) do not have access to creative art materials. Ensure materials are equally distributed between groups. | | | |
| 39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; | 39(2)(a) | May 14, 2021 | |

