

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| | | |
|--|---------------------------|---|
| Name of operator The Woods Early Education Corp. | Licence Number 2020034 | Inspection Date June 06, 2022 |
| Facility Name The Woods 034 | | Telephone Number (506) 651-3101 |
| Address 193 Pettingill Road Quispamsis NB E2E 4R2 | | |
| Name of Early Learning and Childcare Licensing Staff Lisa Green | | Position Title Quality Assurance Monitor |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|---|---------------|----------------------|----------------|
| 20 For the purposes of section 17 of the Act, the requirements with respect to the transportation of children are as follows: (c) the driver of a motor vehicle and the motor vehicle must be in compliance with the Motor Vehicle Act and the regulations under that Act. | 20(c) | May 09, 2022 | May 31, 2022 |
| Comments: Deficiency is now compliant | | | |
| 21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child. | 21 | May 30, 2022 | May 31, 2022 |
| Comments: Deficiency is now compliant | | | |
| 21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29. | 21(a) – (d) | Apr 26, 2022 | May 31, 2022 |
| Comments: Deficiency is now compliant | | | |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities. | 24(1)(c)(iii) | Apr 25, 2022 | Apr 19, 2022 |
| Comments: Deficiency is now compliant | | | |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation. | 24(1)(c)(iv) | Apr 25, 2022 | Apr 19, 2022 |
| Comments: Deficiency is now compliant | | | |
| 25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (c) instructions regarding evacuation in case of a fire as approved by the fire marshal, deputy fire marshal or fire prevention officer. | 25(c) | Apr 25, 2022 | May 31, 2022 |
| Comments: Deficiency is now compliant | | | |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|---|------------|----------------------|----------------|
| 28(3) The premises of a licensed facility shall comply with (b) codes and standards under the Fire Prevention Act. Comments: Deficiency is now compliant | 28(3)(b) | Apr 25, 2022 | May 31, 2022 |
| 30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children. Comments: Deficiency is now compliant | 30(3) | May 30, 2022 | May 31, 2022 |
| 31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children. Comments: Deficiency is now compliant | 31(3) | Apr 25, 2022 | May 31, 2022 |
| 32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair. Comments: Deficiency is now compliant | 32(1)(d) | May 30, 2022 | May 31, 2022 |
| 39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; Comments: Deficiency is now compliant | 39(2)(a) | Apr 19, 2022 | May 31, 2022 |
| 44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility. Comments: Deficiency is now compliant | 44(a) | Apr 19, 2022 | May 31, 2022 |

General Comments

Follow-up inspection completed. All orders for compliance are now compliant.

original signed by
Lisa Green

Signature of Early Learning and Childcare Licensing Staff

June 06, 2022

Date

original signed by
Amanda Fowlie

Signature of Operator/Designate

June 06, 2022

Date