

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator The Woods Early Education Corp.	Licence Number 2020040	Inspection Date April 14, 2022	
Facility Name The Woods 040		Telephone Number (506) 651-3101	
Address 193 Pettingill Road Quispamsis NB E2E 4R2			
Name of Early Learning and Childcare Licensing Staff Breanne Jones		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.	11(b)	May 13, 2022	
Comments: Staff files reviewed. One staff member needs to be registered for 60 hour (Intro to ECE course). There was no proof of enrollment within staff file.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	May 13, 2022	
Comments: Staff files reviewed. Job description missing within 1 staff file.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Apr 14, 2022	
Comments: Diaper changing procedures were not followed within the infant room and room 4 today. Infant room: Sanitizing spray did not sit for the required 2 minutes prior to wiping down. Child's hands were not washed following the diaper change until prompted by inspector. Room 4: Child's hands were not washed following diaper changing. Advised staff who then prompted child to wash hands. Review diaper changing procedures with all staff.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	May 20, 2022	

Order for Compliance	Regulation	Date to be corrected	Date corrected
<p>Comments: Room 2: Pencil markings noted on white wall-to be cleaned or repainted.</p> <p>Room 4: White walls within this room require paint touch ups.</p> <p>Room 3: Sand/debris accumulating on floors within the cozy area. To be vacuumed/cleaned. Glitter glue/residue noted on the white walls within this room-to be cleaned or repainted. (This room was not being used today).</p>			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility,	32(1)(b)	Apr 15, 2022	
<p>Comments: Creative art area: There was no white glue or glue sticks readily accessible within rooms 3 or 4 today. This should be accessible at all times.</p>			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	May 13, 2022	
<p>Comments: Room 1: Residue noted on green folded play mat within the corner-requires cleaning. Dust is accumulating on shelves within the wooden house.</p> <p>Room 3: Some books are in poor repair-to be replaced. Dust is accumulating on wooden shelving unit -to be cleaned.</p> <p>Room 4: Some books are in poor repair and taped-to be replaced. Throw pillow covers are stained-need laundered/replaced. Dust is accumulating on shelves within the wooden house. Some of the wooden pretend food is worn/chipping-to be discarded/replaced. White chairs and round table need cleaning. The white round table is chipped-requires repair or needs to be replaced. Multi-colored are rug near couch and book shelf is curling and is a tripping hazard. Add rug tape to secure.</p>			
36(4) The rest area of a full-time early learning and childcare centre and an early learning and childcare home shall allow for a space of at least 46 cm between each crib, portable playpen, cot or nap mat.	36(4)	Apr 14, 2022	
<p>Comments: Cots that were made up with bedding were observed stood up within contact with one another prior to being set out for rest time. The children's bedding can not have contact with one another. Recommending that staff set out each cot as bedding is prepared to ensure no contact between them.</p>			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Apr 14, 2022	Apr 14, 2022
<p>Comments: Bug spray was noted within open container on shelf in washroom (Room 3). Bug spray must be kept under lock and key. This was removed during inspection.</p>			

General Comments
<p>Renewal inspection was completed today. The children were observed within their indoor and outdoor environments. Purposeful planning was evident throughout the rooms. The infants were engaged playing with musical instruments and exploring soil and gardening materials this morning outside on the deck. Diaper changing was observed within the infant room and room 4 today. The children were also observed during hand washing routines and while eating lunch. Invitations were set out for the children to explore throughout all indoor environments.</p>

General Comments

The environments were noted to be rich in literacy with books and various sources of print (ex: menus, recipes, stories, and books positioned throughout the rooms) and creative art. Documentation is posted on the walls throughout the rooms to demonstrate current and past topics of interest.

Recommending the addition of an outdoor deck box/storage bin to store outdoor play equipment on infant play deck and within the fenced in play area. Step stools within the infant washroom are available but these are not high enough to allow the children to reach appropriately. Higher stools or some with stairs are required.

The soap dispenser within the washroom in room 3 is located high on the wall. Ensure children can reach this adequately. If not, this needs to be moved down or pump soaps should be made available for this sink.

original signed by
Breanne Jones

Signature of Early Learning and Childcare Licensing Staff

April 14, 2022

Date

original signed by
Jennifer Arsenault

Signature of Operator/Designate

April 14, 2022

Date