

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator The Woods Early Education Corp.	Licence Number 2020040	Inspection Date June 14, 2022	
Facility Name The Woods 040		Telephone Number (506) 651-3101	
Address 193 Pettingill Road Quispamsis NB E2E 4R2			
Name of Early Learning and Childcare Licensing Staff Andrea Sabean		Position Title Administrative Assistant	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.	11(b)	May 13, 2022	May 31, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	May 13, 2022	May 31, 2022
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Apr 14, 2022	May 31, 2022
Comments: Deficiency is now compliant			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	May 20, 2022	May 31, 2022
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility,	32(1)(b)	Apr 15, 2022	May 31, 2022
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	May 13, 2022	May 31, 2022
Comments: Deficiency is now compliant			
36(4) The rest area of a full-time early learning and childcare centre and an early learning and childcare home shall allow for a space of at least 46 cm between each crib, portable playpen, cot or nap mat.	36(4)	Apr 14, 2022	May 31, 2022
Comments: Deficiency is now compliant			

Order for Compliance	Regulation	Date to be corrected	Date corrected
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Apr 14, 2022	Apr 14, 2022
Comments: Deficiency is now compliant			

<p><b>General Comments</b></p> <p>Follow-up inspection completed. All orders for compliance are now compliant.</p>
--

	May 31, 2022
Signature of Early Learning and Childcare Licensing Staff	Date

original signed by Amanda Fowlie	May 31, 2022
Signature of Operator/Designate	Date