

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Pennfield Daycare Inc.	Licence Number 2020129	Inspection Date May 24, 2022
Facility Name Pennfield Daycare		Telephone Number (506) 456-2676
Address 81 176 Route Pennfield NB E5H 1V3		
Name of Early Learning and Childcare Licensing Staff Lisa Green		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child. Comments: Deficiency is now compliant	21	Jun 25, 2021	Dec 17, 2021
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29. Comments: Follow-up Inspection report not posted.	21(a) – (d)	May 24, 2022	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister. Comments: Attendance records of children did not accompany groups when they went to the outdoor play area. As discussed, attendance records are to be taken out of the facility whenever children leave the building.	24(1)(f)	May 19, 2022	
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children. Comments: 2/3 year old play area: Hole in side of shed on "construction zone" side with protruding nails. Must be repaired. Split wood on stump bench at back of play area. Must be removed or replaced. Missing section of wood on front of planter with protruding nails. Must be removed or replaced. Preschool play area: Cement mixer plastic cracked and broken. Must be discarded.	31(3)	May 24, 2022	
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair. Comments: Deficiency is now compliant	32(1)(d)	Jun 21, 2021	Dec 17, 2021

General Comments Monitoring inspection completed today. New equipment and materials have been purchased for each room, and are displayed to invite children's engagement. Children are provided with an abundant of choices throughout the different interest centres.

General Comments

Documentary evidence of children's interests, recent activities and learning were present in each classroom. As discussed, dating documentation that is displayed on the walls as well as in portfolios demonstrates that it is current.

Indoors and outdoors, children were engaged in individual and group play. The preschool children were eager to share the banner they were painting and talk to QA Monitor about the reason they were making a banner was for their graduation ceremony.

original signed by
Lisa Green

Signature of Early Learning and Childcare Licensing Staff

May 24, 2022

Date

original signed by
Stephanie Kelson

Signature of Operator/Designate

May 24, 2022

Date