

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator		Licence Number				Inspection Date			
Pennfield Daycare Inc. 2020						November 29, 2022			
Facility Name						Telephon	e Number		
Pennfield Daycare						(506) 456-2676			
Address									
81 176 Route Pennfield NB E5H 1V3									
Name of Early Learning and Childcare Licensing Staff			Position Title						
Jodi Hennessey			Inspector						
Order for Compliance		5		Date to be corrected		Date corrected			
22 The daily routine of a licensed facility shall include (a) outdoor play for at least one hour in each four-hour block of time when the majority of children receiving services are in attendance except in the following circumstances: (i) the wind chill is below -20 °C; (ii) the temperature is below -20 °C; or (iii) the temperature is 33 °C with humidity or above.		22(a	22(a) Nov		30, 2022				
Comments:	Infant Room: *Children did not go outside in the morning.								
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.			24(1)(f) Nov 3		30, 2022				
Comments:	Infant Room: * One child not signed in upon arrival. Attendance records must accurately reflect the Two/Three-Year-Old Room: *Attendance records left inside when the childr Must be taken outside whenever the group lea	en went o	utside	-		e at any giv	en time.		
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.			28(3)(a)	Dec 3	30, 2022			
Comments: Infant Room: * Green ledge around room, paint chipped to be repainted. * Door to storage closet, paint chipped to be repainted. 2/3-Year-Old Room:									
 * Window ledges, paint chipped, to be repainted. * Ceiling, paint chipped, to be repainted. * Screw hole in wall by outside play area door, to be cracked filled and repainted. 									
32(1) An operatimaterials and e	32(1			30, 2022					

Page 2 of 2

Signature of Operator/Designate

Order for Compliance		Regulation	Date to be corrected	Date corrected						
Comments:										
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;		39(2)(a)	Nov 30, 2022							
Comments:	Infant Room: * Off bug spray in upper cabinet, not locked.									
48(4) If an infant is receiving services at a licensed facility, the operator shall (b) ensure that an infant who is bottle-fed is not fed in a crib.		48(4)(b)	Nov 30, 2022							
Comments:	 Infant Room: * One child on cot with bottle. * One child in crib with bottle. Children must be held while giving a bottle. Once they have finished, they can then lay on the cot or in their crib for sleep. 									
General Com	ments									
A renewal inspection occurred today.										
Discussed the upcoming renovations at the facility. Discussed with educators open ended art. Having children express their creativity and focusing on the process and the not the product. Most children enjoy sensory, discussed putting a large piece of paper on the table and having children paint with their fingers or brushes to create works of art. Children's learning is documented through the facility in the form of art and pictures.										
It was indicate completed.	d that during the inspection that the preschool room	will be repain	ted once the reno	vations are						
Signature of E	original signed by Jodi Hennessey arly Learning and Childcare Licensing Staff	Nov Pate	rember 29, 2022							
	original signed by Kirsten Johnson	Nov	rember 29, 2022							

Date