

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence Number		Inspection Date				
BLG Consulting Ltd. 2021002				April 22, 20	22		
Facility Name				Telephone Number			
BLG Forest Of Dreams Daycare				(506) 214-0678			
Address			<u> </u>				
1 Baxter Road Saint John NB E2H 2V5							
Name of Early Learning and Childcare Licensing Staff		Position Title					
Lisa Green		Quality Assurance Monitor					
Order for Compliance		Regulation Date corre			Date corrected		
10(1) The number of educators that are required for a group of children of mixed ages receiving services at a full-time or part-time early learning and childcare centre is calculated as follows: (a) by multiplying the number of children of the same age by the corresponding factor set out in Schedule A; and (b) by adding the results obtained under paragraph (a).		10(1) Apr		1, 2022			
Comments: One child left unattended by their educator in the outdoor play area. One group of children entered the centre to prepare for lunch, they removed their coats and boots, completed bathroom routine and went into their classroom. QA Monitor observed the educator leave the room, open the door to the outdoor play area and go back in the room. Another educator opened the door and a child entered. The educator directed him to take his coat and boots off and they were getting ready for lunch. When questioned by the QA Monitor regarding what had occurred, the educator in the outdoor play area indicated that the child had been left behind when his group went into the facility and it was not noticed until his educator came to the door looking for him.							
21 The daily activities of a licensed facility shall be purposely pl advance and documented and shall respond to the capabilities, and interests of each child.		21	Dec 0	3, 2021	Feb 09, 2022		
Comments: Deficiency is now compliant							
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.		24(1)(c)(vii)	May 0	9, 2022			
Comments: New staff file reviewed. Staff member CPR/Fi							
member can not be left alone with a group of c 24(1) For the purposes of subsection 20(1) of the Act, the follow		<u>1 valid CPR/F</u> 24(1)(f)		6, 2021	Feb 09, 2022		
records and documents shall be maintained on the premises of licensed facility: (f) daily attendance records of the children on provided by the Minister.	a	24(1)(1)	INOV 2	0, 2021	1 60 09, 2022		
Comments: Deficiency is now compliant							
28(3) The premises of a licensed facility shall comply with (a) I ventilation and other general health standards under the Public Act.		28(3)(a)	Apr 2	1, 2022			

Order for Com	pliance	Regulation	Date to be corrected	Date corrected			
Comments:	Diaper changing procedure not followed in preschool roo a child's diaper before returning her to the classroom and spray did not stay on the change mat for the required len All staff are to read the procedures for diaper changing a	d bringing and gth of time be	ther child for chang fore being wiped d	ing. Disinfectant			
	mises of a licensed facility shall comply with (b) codes and er the Fire Prevention Act.	28(3)(b)	Nov 26, 2021	Feb 09, 2022			
Comments:	Deficiency is now compliant						
	tor shall maintain the outdoor play area of a licensed e the safety of the children.	31(3)	Apr 25, 2022				
Comments: Garbage and debris present around the edge of school age outdoor play area, as well as debris and toys outside the fenced in area of both the preschool and school-age areas.							
materials and e	tor of a licensed facility shall provide indoor play area equipment that are (a) varied and in sufficient quantity for d ages of the children receiving services at the licensed	32(1)(a)	Apr 25, 2022				
by a protective	Additional materials such as blocks for building (wooden as props that encourage imaginary play scenarios (cons games needed. Preschool room upstairs- dramatic play materials such a y equipment in the outdoor play area shall be surrounded surfacing and installed according to the manufacturer's	struction hats,	signs, tools, pylons	etc), puzzles, and			
instructions. Comments:	Surfacing depleted in school-age outdoor play area.						
		T	T				
is inaccessible	ed facility shall have a separate locked storage space that to the children for each of the following: (a) toxic products, acts and cleaning supplies; Deficiency is now compliant	39(2)(a)	Nov 26, 2021	Feb 09, 2022			
the children recincludes positivaccomplishmen	tor of a licensed facility shall ensure that the guidance of ceiving services at the licensed facility is positive and re reinforcement, encouraging efforts and recognizing ents.	49(1)	Apr 21, 2022				
Comments:	QA Monitor was inside the building, speaking with the adoutdoor play area. The QA Monitor returned to the outdo against the side of the building approximately 5 ft apart. a children. QA Monitor asked the child who was screaming the child and started speaking to him. The child was instructed to continue playing. QA Monitor approached the children were standing against the wall and was told by the needed to speak to them. QA Monitor discussed with editional control of the children were standing against the wall and was told by the children were standing against the wall again.	or play area, and an educa and an educa y what was wr ructed to apol- ne educator to the educator tl	and saw 2 children tor was standing wi ong and the educat ogize to the other cask what happene he children had bee	were standing th her back to the or turned towards hild and then was d and why the en fighting and she			

General Comments

Children were preparing for outdoor play. As children in the 2 year old room were ready, the group was split to avoid excessive wait times and allow time for other children to get ready. Outdoor play was also staggered so that groups were not trying to get ready and outdoors at the same time. These changes were observed to support a smoother transition from indoors to outdoors for all children.

of the Operator Manual Full-Time and Part-Time Early Learning and Childcare Centres.

redirecting children by offering different choices is appropriate. Staff are to review section 8.2 Child Guidance

Music playing in the outdoor play area was very loud. QA Monitor discussed with administrator that the music

General Comments

should be turned down so that the children could be easily heard from all areas of the outdoor play area.

Educators are provided with one hour of planning time each week to plan and complete documentation. This values educators efforts and supports their growth. QA Monitor discussed with administrator the ways that educators identify children's interests and to ensure that materials and activities are open-ended and reflective of children's developmental level and abilities.

QA Monitor continues to discuss the value of open-ended art as a process rather than a craft product with administrator and educators. Process focused art focuses on the experience and exploration of techniques, tools and materials that are accessible and/or provided as an invitation to learning rather than an end product and children's choice to participate should be theirs.

original signed by		
Lisa Green		April 22, 2022
Signature of Early Learning and Childcare Licensing Staff	Date	
original signed by Julia Hachey		April 22, 2022
Signature of Operator/Designate	Date	•