

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator BLG Consulting Ltd.	Licence Number 2021002	Inspection Date July 08, 2022
Facility Name BLG Forest Of Dreams Daycare		Telephone Number (506) 214-0678
Address 1 Baxter Road Saint John NB E2H 2V5		
Name of Early Learning and Childcare Licensing Staff Lisa Green		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child. Comments: Deficiency is now compliant	21	Dec 27, 2021	Feb 09, 2022
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29. Comments: Deficiency is now compliant	21(a) – (d)	Dec 20, 2021	Jan 09, 2022
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached, Comments: Deficiency is now compliant	24(1)(b)(iv)	Dec 24, 2021	Feb 09, 2022
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister. Comments: Deficiency is now compliant	24(1)(f)	Dec 13, 2021	Feb 09, 2022
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (c) instructions regarding evacuation in case of a fire as approved by the fire marshal, deputy fire marshal or fire prevention officer. Comments: Deficiency is now compliant	25(c)	Dec 20, 2021	Jan 09, 2022
28(1) An operator of a licensed facility shall not change the allocation of space used to provide services or add to or alter any building or facility or any part of them unless the Minister has approved the changes in writing. Comments: Deficiency is now compliant	28(1)	Dec 22, 2021	Feb 09, 2022

Order for Compliance	Regulation	Date to be corrected	Date corrected
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: Deficiency is now compliant	28(3)(a)	Jan 21, 2022	Feb 09, 2022
29 An operator of a licensed facility shall ensure that the traffic area and the outdoor walk-ways of the licensed facility are free from obstructions and hazards. Comments: Deficiency is now compliant	29	Jan 14, 2022	Feb 09, 2022
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children. Comments: Deficiency is now compliant	30(3)	Jan 14, 2022	Feb 09, 2022
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children. Comments: Deficiency is now compliant	31(3)	Jan 14, 2022	Feb 09, 2022
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility, Comments: Deficiency is now compliant	32(1)(b)	Dec 31, 2021	Feb 09, 2022
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair. Comments: Deficiency is now compliant	32(1)(d)	Dec 31, 2021	Feb 09, 2022
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility. Comments: Deficiency is now compliant	33(1)	Dec 31, 2021	Feb 09, 2022
39(1) A licensed facility shall have storage space that includes: (b) easily accessible space to store the personal belongings of each child receiving services at the licensed facility. Comments: Deficiency is now compliant	39(1)(b)	Dec 27, 2021	Feb 09, 2022
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; Comments: Deficiency is now compliant	39(2)(a)	Dec 13, 2021	Feb 09, 2022
39(3) Despite paragraph (2)(b), medications administered in cases of anaphylactic shock shall not be stored in a locked space. Comments: Deficiency is now compliant	39(3)	Dec 13, 2021	Feb 09, 2022
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility. Comments: Deficiency is now compliant	44(a)	Dec 17, 2021	Feb 09, 2022
48(4) If an infant is receiving services at a licensed facility, the operator shall (a) hold the bottle at all times during the feeding of an infant who is bottle-fed unless the infant is able to hold the bottle himself or herself. Comments: Deficiency is now compliant	48(4)(a)	Dec 13, 2021	Feb 09, 2022

General Comments

Completed follow up to renewal inspection today. All orders for compliance have been rectified. The outdoor

General Comments

play area was not inspected today as it was snow covered. Operator reports that items that were requested to be removed have been. Discussed outdoor play equipment and that educators must bring outdoor materials outside for the children (such as balls, hockey sticks, buckets, cars, shovels, snow molds, etc.). The downstairs washroom was still under construction-this will be inspected at the time of the change in service inspection once the work is completed.

Discussed variety/accessibility of materials with educators within the 2 year old room. Scissors, glue, glue sticks must be accessible at all times. Discussed child safe scissors for children who are not yet ready for bladed scissors, but that the goal is to move toward having all materials accessible at all times. Scissor safety must be taught through adequate supervision and modelling.

New staff files were reviewed.

original signed by
Lisa Green

Signature of Early Learning and Childcare Licensing Staff

February 09, 2022

Date

original signed by
Julia Hachey

Signature of Operator/Designate

February 09, 2022

Date