

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator BLG Consulting Ltd.	Licence Number 2021002	Inspection Date May 20, 2022	
Facility Name BLG Forest Of Dreams Daycare		Telephone Number (506) 214-0678	
Address 1 Baxter Road Saint John NB E2H 2V5			
Name of Early Learning and Childcare Licensing Staff Lisa Green		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	May 09, 2022	May 17, 2022
Comments: Deficiency is now compliant- staff member no longer employed at facility.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	May 18, 2022	
Comments: Attendance records not completed for school-age children who attend before school. As discussed with Educator in the room, children must be signed in and out on attendance records whenever they are in attendance.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	May 24, 2022	

Order for Compliance	Regulation	Date to be corrected	Date corrected
<p>Comments: Diaper changing procedure not followed. Educator did not spray the change mat between children using disinfectant spray. As noted on last monitoring inspection report all staff are to read the procedures for diaper changing and ensure they are followed. Date to be corrected was May 11, 2022. Diaper changing was not observed during today's monitoring inspection, order for compliance is carried over.</p> <p>Building maintenance and repair required for the following:  Downstairs cubby area hall- section of trim missing under cubbies. Holes in wall up high in cubby and hallway.  Kitchen area- Hole in wall at bottom of pipes and baseboard. Space between tile floor and wall collecting debris.  Small preschool room down- Wire protruding from wall.  Downstairs bathroom- tile missing from wall in second stall. Cold water taps in bathroom and first sink in hallway not working. Staff are turning water on when children are washing their hands in the bathroom. As previously discussed this must be corrected. Recommendation to contact a variety of plumbers to find one who can repair the sink in a timely manner.</p> <p>Change tables in upstairs and downstairs bathrooms unclean and dusty.</p>			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	May 19, 2022	
<p>Comments: Toys and debris are still present outside of fence in preschool and school age play areas. Order for compliance carried over from 2 previous monitoring inspections. Original comply by dates were April 25, 2022 and May 13, 2022.</p> <p>Tires in School age play area are not stable. Tires are to be anchored securely or removed. if removed, children can use them as an obstacle course or as loose parts in play.</p>			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	May 20, 2022	
<p>Comments: Preschool room downstairs- tissue paper, felt, popsicle sticks added since last inspection. Paper was lacking, there were no mark making tools other than crayons. Paint was available at the easel, but there were no paintbrushes or paper available. Additional materials such as blocks for building (construction hats, signs, tools, pylons, etc) puzzles and games needed.  Order for compliance carried over from 2 previous monitoring inspections. Dates to be corrected April 25, 2022 and May 16, 2022.</p> <p>Small preschool room downstairs- No Paper available for children in creative art area.</p>			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	May 19, 2022	
<p>Comments: Small Preschool room downstairs- dramatic play kitchen centre dusty.</p> <p>Large Preschool room downstairs- Doll cradle unclean.  Orders for compliance carried over from previous inspection. Original comply by date was May 12, 2022.</p>			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	May 23, 2022	
<p>Comments: Surfacing depleted in school-age outdoor play area.</p>			

Order for Compliance	Regulation	Date to be corrected	Date corrected
38(1) The children receiving services at a licensed facility shall have access to washrooms that include the following: (a) if one to nine preschool children or school-age children are receiving the services, one toilet and one sink; (b) if ten to 24 preschool children or school-age children are receiving the services, two toilets and two sinks; (c) if 25 to 49 preschool children or school-age children are receiving the services, three toilets and three sinks; and (d) if 50 or more preschool children or school-age children are receiving the services, four toilets and four sinks.	38(1)	May 10, 2022	May 11, 2022
Comments: Deficiency is now compliant			
38(4) An operator of a licensed facility shall provide steps or platforms that allow the children to use regular-sized toilets and sinks.	38(4)	May 13, 2022	
Comments: New sinks in downstairs hallway cannot be used by children because there is not a platform or step stool, making them inaccessible to children. Order for compliance carried over from previous inspection. Original comply by date: May 13, 2022.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	May 18, 2022	
Comments: Bug spray on shelf outside preschool room and exit to outdoor play area. Bug spray is a toxic product and must be kept locked and inaccessible to children.			
49(1) An operator of a licensed facility shall ensure that the guidance of the children receiving services at the licensed facility is positive and includes positive reinforcement, encouraging efforts and recognizing accomplishments.	49(1)	May 19, 2022	
Comments: Previous order for compliance included that staff are to review section 8.2 Child Guidance of The Operator Manual Full-time and Part-time Early Learning and Childcare centres. 3 staff files reviewed during today's inspection. Only one staff member had completed the review. As discussed previously, all staff are to review and sign off that they have read and understood section 8.2 and as copy placed in their staff files. Previous dates to be corrected were April 21, 2022 and May 11, 2022.			

### General Comments

Children and educators observed in play with children in the indoor environment. Educators were sitting with children and supporting their play through conversation. Books, construction play, playdough, dramatic play, and sensory play were activities observed throughout the centre. Costumes have been added to preschool rooms upstairs and down. Children were dressing up and engaged in pretend play scenarios. Consider what other materials can be added to support children's imaginative play with costumes.

Discussed with preschool educator that having materials ready to go to set up on tables for children will engage them in an activity and reduce challenging behaviors and eliminate running around the classroom.

Discussed with operator ongoing orders for compliance and how staff are informed orders for compliance are present. Quality Assurance Monitor again discussed requirements for correcting orders for compliance in a timely manner and by the date to be corrected on the report.

original signed by

Lisa Green

Signature of Early Learning and Childcare Licensing Staff

May 20, 2022

Date

original signed by

Tinishia Logan

Signature of Operator/Designate

May 20, 2022

Date