

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator BLG Consulting Ltd.	Licence Number P-2021002	Inspection Date October 11, 2022	
Facility Name BLG Forest Of Dreams Daycare		Telephone Number (506) 214-0678	
Address 1 Baxter Road Saint John NB E2H 2V5			
Name of Early Learning and Childcare Licensing Staff Lisa Green		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Oct 11, 2022	
Comments: School age room observed to be in disarray during today's inspection. Children from preschool room had used the room in the morning. Ensure the room is cleaned and materials put away so that school-age educator can purposefully plan the environment and set up materials for the school-age children based on their interests ahead of their arrival.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Oct 17, 2022	
Comments: Paint peeling from banister to downstairs. Must be repainted.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Oct 14, 2022	
Comments: Large preschool room down- walls marked with pencil require thorough cleaning.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Sep 16, 2022	Oct 06, 2022
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Oct 14, 2022	
Comments: Downstairs large preschool room- Creative art centre requires additional loose parts for children to use for creating. Materials that inspire and support painting, drawing, mark-making, construction and modeling should be included.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Oct 14, 2022	
Comments: School-age room- Black shelving and teacher shelving unclean . Tables marked with paint and markers require more thorough cleaning. Order for compliance carried over from previous monitoring inspection. Original comply by date September 16, 2022.			

Order for Compliance	Regulation	Date to be corrected	Date corrected
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Oct 07, 2022	
Comments: All purpose cleaner in downstairs bathroom on shelf above sink. Cleaning products are considered toxic and must be kept under lock and key.			

General Comments
<p>Monitoring inspection completed today.</p> <p>Educators and children were observed in the outdoor play area. A variety of materials were available for children and children were engaged in sand play, gross motor play, dramatic play in the mud kitchen making soup and cupcakes, reading stories, and drawing on the outdoor easel and at the table with chalk, crayons, and markers. Educators were spread out throughout the play area, engaging with small groups of children.</p> <p>Additions to the indoor play environments have provided opportunities for children to have big body and gross motor play.</p> <p>Diaper changing observed in infant room. All requirements were followed for the diaper changing procedure.</p> <p>Discussed extreme allergy management plan for child with a life-threatening allergy. Ensure the form is completed in full, with a copy present in the child's classroom and file in the office. All staff onsite should be aware of the plan and familiar with all requirements in case of an emergency. As well, signs should be present on the parent board indicating a child with a severe allergy is attendance. Identifying information for the child should not be disclosed unless permitted by the parents. QA Monitor will follow-up at next visit.</p>

original signed by

Lisa Green

October 11, 2022

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by

Tinishia Logan

October 11, 2022

Signature of Operator/Designate

Date