

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Li		Licence N	Licence Number			Inspection Date				
Brother Bear's Daycare Inc. 202100		2021003	3			June 02, 2023				
Facility Name						Telephone	Number			
Brother Bear's Daycare						(506) 674-2327				
Address										
218 820 Route	218 820 Route Upper Loch Lomond NB E2S 2H9									
Name of Early Learning and Childcare Licensing Staff			Position Title							
Cathleen LeBlanc			Quality Assurance Monitor							
Order for Compliance			Reg	Regulation Date corre			Date corrected			
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;			11(a) Jun :		Jun 3	60, 2023				
Comments:										
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.		21(a) – (d) Mar 2		23, 2023	Jun 02, 2023					
Comments:	Deficiency is now compliant						•			
records and doc licensed facility:	rposes of subsection 20(1) of the Act, the follow cuments shall be maintained on the premises of (c) staff member records that include (iii) a des or's duties and responsibilities.	a	24(1)(c)(iii)	Mar 1	6, 2023	Jun 02, 2023			
Comments:	Deficiency is now compliant									
records and doc licensed facility: declaration conf or her obligation	proses of subsection 20(1) of the Act, the follow ruments shall be maintained on the premises of (c) staff member records that include (iv) a significant that the staff member has read and under the Act and this Regulation.	a ned	24(1)(c)(iv)	Mar 1	6, 2023	Jun 02, 2023			
	Deficiency is now compliant				Ι.		T			
records and doc licensed facility: valid first aid cer certificate for ea	rposes of subsection 20(1) of the Act, the follow ruments shall be maintained on the premises of (c) staff member records that include (vii) a contificate and a valid cardiopulmonary resuscitation and educator.	a by of a on)(c)(vii)		0, 2023				
Comments: Two educators have not completed their 16-hour Standard First Aid with CPR Level C. Both educators have completed the online portion. The in-person portion must also be completed. Educators are not to be left alone with children, until they are fully certified, and their certificate is in their file.										

Order for Compliance	Regulation	Date to be corrected	Date corrected
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair. Comments: Deficiency is now compliant	32(1)(d)	Mar 16, 2023	Jun 02, 2023
40(1) An operator of a licensed facility shall ensure that personal belongings of a child receiving services at the licensed facility that are brought to the licensed facility, including combs, brushes, toothbrushes, towels, washcloths, bedding, pacifiers and soothers, are (a) labelled with the name of the child.	40(1)(a)	Mar 16, 2023	Jun 02, 2023
Comments: Deficiency is now compliant			

General Comments

A Monitoring Inspection was completed this afternoon. Infants were observed finishing up their snacks. The twoyear-olds were observed during a sensory activity, involving Oobleck (corn-starch & water). Children were observed exploring the slimy substance with their hands. The preschool children were observed playing outside. The preschool children were later observed entering the building to wash their hands, before heading back outside, for their afternoon snack. Afterschool program – A ukulele was heard, coming from the afterschool room. The younger afterschool children were later observed outside, with their educator, awaiting the older kids to arrive. A conversation was had with administrator regarding the fire exit door, up by the kitchen. This door is to stay unlocked, during operating hours, as directed by the fire marshal. A conversation was had with administrator regarding the outdoor play area, and potential items that could be added to this area. We chatted about real household kitchen items (pots, pans, spatula, etc.) Administrator stated that a mud kitchen has recently been ordered. QAM observed the new sensory break out room. Children are to be supervised in this room. A conversation was had with administrator regarding ideas for this room. Some of the ideas that were discussed: children's yoga pictures and a yoga mat, breathing exercises, fidgets, and bubbles. A conversation was had with administrator regarding educators and first aid certificates. All educators are required to have their 16-hour Standard First Aid with CPR Level C Certificate, issued from a recognized provider. Educators are not to be left alone with children, without their completed Standard First Aid with CPR. Please review page 26 in Operator's Manual for more details.

original signed by		
Cathleen LeBlanc	June 02, 2023	
Signature of Early Learning and Childcare Licensing Staff	Date	
original signed by		
Jacqueline Lynch	June 02, 2023	
Signature of Operator/Designate	Date	